## Samsung Galaxy Tab S9 FE Enterprise Edition 5G Samsung Exynos LTE 128 GB 27,7 cm (10.9") 6 GB Wi-Fi 6 (802.11ax) Android 13 Harmaa

Tuotemerkki: Samsung Tuoteperhe: Galaxy Tab S9 Tuotekoodi: SM-X516BZAAEEB

Tuotteen nimi : FE Enterprise

Edition

Samsung Galaxy Tab S9 FE Enterprise Edition. Näytön halkaisija: 27,7 cm (10.9"), Näytön erottelutarkkuus: 2304 x 1440 pikseliä, Näytön teknologia: LCD. Sisäinen tallennuskapasiteetti: 128 GB. Prosessorin taajuus: 2,4 GHz, Suoritinperhe: Samsung Exynos, Prosessorimalli: 1380. Sisäinen muisti: 6 GB. Takakameran resoluutio (numeerinen): 8 MP, Etukameran resoluutio (numeerinen): 12 MP. Wi-Fistandardi: Wi-Fi 6 (802.11ax). Integroitu kortinlukija. Paino: 524 g. Käyttöjärjestelmä asennettu: Android 13. Tuotteen väri: Harmaa





Display		Software	
Display diagonal *	27.7 cm (10.9")	Operating system version	13
Display resolution *	2304 x 1440 pixels	Operating system installed *	Android 13
Display technology	LCD	Battery	
Panel type Display brightness	TFT 600 cd/m <sup>2</sup>	Battery included	✓
Display glass type	Gorilla Glass	Battery capacity *	8000 mAh
Anti-glare screen	×	Number of battery cells	2
Pixel density	249 ppi	Battery voltage	10 V
HD type	WUXGA+	Battery weight	117.5 g
Native aspect ratio	16:10	Fast charging	<b>√</b>
Display number of colours	16 million colours	Battery recharge time Continuous video playback time	1.48 h 18 h
Processor		Continuous audio playback time	113 h
Processor manufacturer *	Samsung	Browsing time (Wi-Fi)	16 h
Processor family *	Samsung Exynos	Browsing time (4G)	16 h
Processor model *	1380	Rechargeable battery	✓
Processor cores	8	Battery level indicator	✓
Processor frequency *	2.4 GHz		
Processor code	1380	Power	
Processor code  Memory	1380	<b>Power</b> AC adapter power	45 W
	1380 6 GB		45 W
Memory Internal memory *		AC adapter power	45 W 254.3 mm
Memory Internal memory * Storage	6 GB	AC adapter power  Weight & dimensions  Width  Depth	254.3 mm 6.5 mm
Memory Internal memory * Storage Internal storage capacity *		AC adapter power  Weight & dimensions  Width Depth Height	254.3 mm 6.5 mm 165.8 mm
Memory Internal memory * Storage	6 GB 128 GB	AC adapter power  Weight & dimensions  Width Depth Height Weight	254.3 mm 6.5 mm 165.8 mm 524 g
Memory Internal memory * Storage Internal storage capacity * Card reader integrated *	6 GB 128 GB ✓	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm
Memory Internal memory * Storage Internal storage capacity * Card reader integrated * Compatible memory cards	6 GB  128 GB  ✓  MicroSD (TransFlash)	AC adapter power  Weight & dimensions  Width Depth Height Weight	254.3 mm 6.5 mm 165.8 mm 524 g
Memory Internal memory * Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size	6 GB  128 GB  ✓  MicroSD (TransFlash)	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm
Memory Internal memory *  Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size  Graphics	6 GB  128 GB  ✓  MicroSD (TransFlash) 1 TB	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth Package height	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm
Memory Internal memory *  Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size  Graphics Graphics card	6 GB  128 GB  ✓  MicroSD (TransFlash) 1 TB	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth Package height Package weight	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm
Memory Internal memory *  Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio	6 GB  128 GB  MicroSD (TransFlash) 1 TB  Mali-G68	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth Package height Package weight  Packaging content	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm
Memory Internal memory *  Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s)	6 GB  128 GB  MicroSD (TransFlash) 1 TB  Mali-G68	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth Package height Package weight  Packaging content  Keyboard included	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm 790 g
Memory Internal memory *  Storage Internal storage capacity * Card reader integrated * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone	6 GB  128 GB  MicroSD (TransFlash) 1 TB  Mali-G68	AC adapter power  Weight & dimensions  Width Depth Height Weight Package width Package depth Package height Package weight  Packaging content  Keyboard included  Stylus pen	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm 790 g

Security	Camera			Packaging content	
Rear carmen upon   1			,		
Rear camera apenture number				Warranty card	•
Rear careers aperture number   19	•	noric\*	•	Supplier features	
Bullstonames	,	,		Number of packages	1
Pass	·			Logistics data	
Angle		OV)	750	Products per shipping (inner) case	1 pc(s)
Digital 2000m		,	/5°		10 pc(s)
Pandrama	Digital zoom		4x		•
Second camera resolution	Auto focus		•	· · · -	
Rear Camera Blasts	Panorama		<b>✓</b>	· · · -	
Video recording         V         Pallet net height         120 cm           Maximum video resolution         3840 x 2160 pixels         Pallet net height         135 cm           Video recording modes         2160 pixels         Pallet net width         30 cm           Resolution at capture speed         3840 x 2160 g30fps         Pallet net weight         412 kg           Resolution at capture speed         30 fps         Pallet net weight (US)         412 kg           Front camer and special sp	Rear camera flash		×	· · · -	
Video recording modes         2160p         Paliet net width         80 cm           Resolution at capture speed         3840x2160g30fps         Paliet net width         412 kg           Video capturing speed         3 0 fps         Paliet net width         412 kg           Face detection         ✓         Layers per pallet (US)         5 pc(s)           Front camera resolution (numeric)         12 MP         Master (outer) cases per pallet (US)         500 pc(s)           Front camera resolution (numeric)         12 MP         Products per pallet (US)         500 pc(s)           Front camera resolution (numeric)         12 MP         Products per pallet (US)         500 pc(s)           Front camera resolution (numeric)         12 MP         Products per pallet (US)         500 pc(s)           Front camera resolution (numeric)         12 MP         Products per pallet (US)         500 pc(s)           Resolution (numeric)         12 MP         Products per pallet (US)         500 pc(s)           Network         V         Pallet gross width         120 kg           Nation (network operation)         V         Pallet gross height         412 kg           Nation (network operation)         V         Products per pallet (US)         500 pc(s)           Action (Nation (Nation)         V         Produ	Video recording		✓		
Resolution at capture speed	Maximum video resolution		3840 x 2160 pixels	Pallet net length	115.8 cm
Video capturing speed         30 fps         Pallet weight (US)         412 kg           Face detection         ✓         Layers per pallet (US)         5 pcts)           Front Camera *         ✓         Master (outer) cases per pallet (US)         5 pcts)           Front Camera resolution (umeric)         12 MP         Master (outer) cases per pallet (US)         500 pcts)           Front Camera field of view (FOV) angle         2.4         Pallet gross width         120 cm           Front Camera field of view (FOV) angle         120°         Pallet gross weight         412 kg           Network         —         Pallet gross weight         412 kg           Mobile network generation         56         Products per pallet and the pallet gross weight         412 kg           Mobile network generation         56         Products per pallet and the pallet gross weight         412 kg           Mobile network generation         56         Products per pallet and the pallet gross weight         412 kg           Mobile network generation         56         Products per pallet gross weight         412 kg           Mobile network generation         56         Products per pallet gross weight         412 kg           Mobile standard         Will standard         Will standard         Will standard         Will standard         Wil	· ·		•	Pallet net width	80 cm
Face detection	·		<b>0</b> 1	Pallet net weight	412 kg
Front camera*			•	Pallet weight (US)	412 kg
Second camera resolution   12 MP					5 pc(s)
Second camera resolution   12 MP					10 pc(s)
Front camera aperture number   2.4					
Front camera field of view (F ≥ 100°) angle Front camera field of view (F ≥ 115.8 cm) Front camera field of view (F ≥ 115.8 cm) Alter gross height 115.8 cm Mobile network generation 5G F or poducts per pallet gross weight 412 kg Mobile network connection 7	•	,		·	• • •
Nativox	•		2.4	<del>-</del>	
Network  Mobile network generation  56		OV)	120°		
Mobile network generation         5G         Products per pallet         500 pc(s)           Mobile network conection         ✓         Products per pallet layer         100 pc(s)           4G standard         LTE         Layers per pallet         5 pc(s)           Bluetooth         ✓         Master (outer) case per pallet layer         10 pc(s)           Bluetooth version         5.3         Master (outer) case width         282 mm           VWF1 standards         WiF1 s(802 11ax)         Master (outer) case width         226 mm           VWF1 standards         (802 11ax)         Master (outer) case width         226 mm           VWF1 standards         (802 11ax)         Master (outer) case length         226 mm           VWF1 standards         (802 11ax)         Master (outer) case length         201 mm           VWF1 standards         (802 11ax)         WiF1 (802 11ax)         Master (outer) case ength         202 mm           WiF1 products per master (outer) case poss weight         8.24 kg         Porducts per master (outer) case ength         8.24 kg           V Sach and supported         850 900,1900,2100,2100,2300,2500,2500,2500,2500,2500,2500         Porducts per master (outer) case weight         8.24 kg           V Sands supported         700,800,850,900,1800,1100,2100,2300,2500,2500,2500,2500,2500         Siluctooth proflies<	-				
Mobile network connection		5G			•
Master (outer) cases per pallet   ye   ye   yes   ye				·	·
Buetoth version   7.00   Wi-Fi (8002.11ax)   Master (outer) case set panel talget   10 pc(s)   manufact   10 pc(s)   manufact   10 pc(s)   master (outer) case set panel talget   10 pc(s)   manufact   10 pc(s)   master (outer) case length   226 mm   226				Layers per pallet	
Top Wi-Fi standards*         Wi-Fi 6 (80.21 lax)         Master (outer) case width         282 mm           Wi-Fi standards         80.211.8 02.11.9 Wi-Fi 6 (802.11ax)         Master (outer) case height         201 mm           Wi-Fi Direct         ✓         Master (outer) case peright         201 mm           Wi-Fi Direct         ✓         Master (outer) case gross weight         8.24 kg           Va Gut TE         V         Products per master (outer) case gross weight         10 pc(s)           46 LTE         700.800.850.900.1900.2100.030.2500.2500.2500.2500.2500.2500.250				Master (outer) cases per pallet layer	10 pc(s)
Number   N			802.11ax)	Master (outer) case width	282 mm
Master (outer) case height   201 mm   Master (outer) case gross weight   201 mm   3.24 kg   3.	·	802.11a,	, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5	Master (outer) case length	226 mm
Near Field Communication (NFC) 4G LTE  4G LTE  700,800,1500,1800,1900,2100 MHz  356 bands supported 850,900,1500,1800,1900,2100,2300,2500,2600 MHz  700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz  700,800,850,900,1500,1800,1900,2100,2300,2500,2600 MHz  700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz  Dual SIM support  700,800,850,900,1800,2100,2300,2500,2600,3500,3700 MHz  Ports & Interfaces  USB 2.0 Type-C ports quantity  1			ac), WI-FI 6 (802.11ax)	Master (outer) case height	201 mm
As bands supported 850,900,1900,2100 MHz				Master (outer) case gross weight	8.24 kg
AG bands supported  MHz  TOD,800,850,990,1500,1800,2100,2300,2500,2600  MHz  TOD,800,850,990,1500,1800,2100,2300,2500,2600  MHz  TOD,800,850,990,1500,1800,2100,2300,2500,2600,3500,3700  Bluetooth profiles  SIM card support  X  Pen weight  8.7 g  Dimensions (WxDxH)  165.8 x 254.3 x 6.5 mm  Battery type  Built-in Lithium-ion  Microphone in  X  Battery recharge time (off)  1.5 h  Design  Device type *  Mobile tablet  Display viewable area (HxV)  Display viewable area (HxV)  Slate  Rechargeable  Y  Product colour *  Grey  USB cable  C  Protection features  Dust resistant, Water resistant  International Protection (IP) code  IP68  Charging time  Assisted GPS (A-GPS) *  Very Power cord included  Y  Power cord included  Y  Power cord included  Y  Gallieo  V  Waterproof  Waterproof  Waterproof  V  Waterproof  V  Waterproof  V  Waterproof  V  Waterproof  V  Waterproof  V  ODD  C C C C C C C C C C C C C C C C C C	4G LTE	1		•	·
According Supported  Mitz  TOD, 800, 850, 900, 1800, 2100, 2300, 2500, 2600, 3500, 3700  Dual SIM support  NanoSIM + eSIM  NanoSIM + eSIM  NanoSIM + eSIM  Ports & interfaces  USB 2.0 Type-C ports quantity  I Dimensions (WxDxH)  Microphone in  X  Headphone connectivity  Bluetooth  Speakers  Stereo  Combo headphone/mic port  X  Wi-Fi  Volume control  Device type * Mobile tablet  Display viewable area (HxV)  Product colour * Grey  Product colour * Grey  Dust resistant, Water resistant  International Protection (IP) code  IP68  Charging time  Speakers  Stereo  Charging time  1.5 h  Performance  Assisted GPS (A-GPS) * ✓ Performance  ASSISTED GREY  Galileo  Valuer control  ASSISTED GREY  Power cord included  Valuer control  Display viewable area (HxV)  Display type  TFT  Resolution  2304 x 1440 pixels  Power cord included  Valuer control  Buttons  Charging time  1.5 h  Performance  Assisted GPS (A-GPS) * ✓ Power cord included  Valuer cor	3G bands supported			•	8471300000
MHz Dual SIM support  SIM card type  NanoSIM + eSIM  Ports & interfaces  USB 2.0 Type-C ports quantity  Microphone in  Headphone connectivity  Combo headphone/mic port  Design  Device type * Form factor * Form factor * Fore factures  Dust resistant, Water resistant  International Protection (IP) code  Performance  Assisted GPS (A-GPS) *  GLONASS  GAMBER  MHz  SIM card support  X  Package dimensions (WxDxH)  Package dimensions (WxDxH)  165.8 x 254.3 x 6.5 mm  Battery type  Built-in Lithium-ion  Buttons  Buttery recharge time (off)  1.5 h  Speakers  Wi-Fi  ✓  Volume control  Buttons  Device type *  Slate  Rechargeable  ✓  USB cable  C  Charging time  1.5 h  Performance  Assisted GPS (A-GPS) *  ✓  Resolution  Package weight  790 kg  GPS (satellite)  ✓  Oust resident with the satellite System  Assisted GPS (satellite)  ✓  Oustine Side of the support  Assisted GPS (satellite)  ✓  Oustine Side of the support  Assisted GPS (satellite)  ✓  Oustine Side of the support  Assisted GPS (satellite)  ✓  Oustine Side of the support  Assisted of	4G bands supported		.850,900,1500,1800,1900,2100,2300,2500,2600	Other features	
Dual SIM support   SIM card support   SIM card support   SIM card type   NanoSIM + eSIM   Package dimensions (WXDXH)   273.9 x 184.5 x 21.4 mm   Ports & interfaces   Pen weight   8.7 g     USB 2.0 Type-C ports quantity   1   Dimensions (WXDXH)   165.8 x 254.3 x 6.5 mm   Battery type   Built-in Lithium-ion   Microphone in   X   Battery type   Built-in Lithium-ion   Speakers   Stereo   Speakers   Stereo   Mobile tablet   Display viewable area (HxV)   234.87 x 146.79 mm   Protection features   Dust resistant, Water resistant   Maximum RAM supported   G G B   International Protection (IP) code   IP68   Charging time   1.5 h   Performance   Display type   TFT   Resolution   2304 x 1440 pixels   790 kg   GIONASS   Power cord included   Power	5G bands supported		.850,900,1800,2100,2300,2500,2600,3500,3700	Bluetooth profiles	A2DP
Pen weight 8.7 g  USB 2.0 Type-C ports quantity 1 Microphone in X Headphone connectivity Bluetooth X Combo headphone/mic port X  Pesign Wobile tablet Dust resistant, Water resistant International Protection (IP) code IP68 Charging time CLONASS Y  BeiDou Performance  Assisted GPS (A-GPS) *  GPS (satellite)  GPI (Satellite)  DIST (SATE AS 254.3 x 6.5 mm  165.8 x 254.3 x 6.5 mm  Battery type  Butter, tichium-ion  1.5 h  Selice (HXV)  234.87 x 146.79 mm  Asister (HXV)  Asister (HXV)  234.87 x 146.79 mm  Asister (HXV)  Asister (HXV)  Asister (HXV)  Asister (HXV)  Asister (HXV)  234.87 x 146.79 mm  Asister (HXV)  Asister (HXV)  Asister (HXV)  Asister (HXV)  Asister (HXV)  234.87 x 146.79 mm  Asister (HXV)  Asiste	Dual SIM support			SIM card support	×
USB 2.0 Type-C ports quantity  Microphone in  Headphone connectivity  Bluetooth  Combo headphone/mic port  Pesign  Device type * Mobile tablet  From factor * Grey  Product colour * Grey  Protection features  International Protection (IP) code  International Protection (IP) code  Performance  Assisted GPS (A-GPS) *   GLONASS  BeliDou  GPS (satellite)  GPS (satellite)  Galileo  Quasi-Zenith Satellite System  Dimensions (WxDxH)  165.8 x 254.3 x 6.5 mm  Buttons  Built-in Lithium-ion  1.5 h  Perfore  Wi-Fi  Y  Volume control  Buttons  Device type * Mobile tablet  Display viewable area (HxV)  234.87 x 146.79 mm  Assisted GHXV  234.87 x 146.79 mm  Assisted GBS  Charging time  Condo A 1440 pixels  Assisted GPS (A-GPS) *   Assisted GPS (A-GPS) *   Condo A 1440 pixels  Condo A 1440	SIM card type	NanoSIM	+ eSIM	Package dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm
Microphone in X Battery type Built-in Lithium-ion  Headphone connectivity Bluetooth Combo headphone/mic port X   Design  Device type * Mobile tablet Form factor * Slate Product colour * Grey Protection features International Protection (IP) code International Protection (IP) code International Protection (IP) code  Performance  Assisted GPS (A-GPS) *  GLONASS  BeiDou  GPS (satellite)  GPS (satellite)  GPS (satellite)  Ax  Battery type Built-in Lithium-ion 1.5 h  Popeakers Stereo  Volume control Buttons  Buttons  Push tensor  Wi-Fi  Volume control  Buttons  Buttons  Casta. (HxV) 234.87 x 146.79 mm  Assisted  Chargeable  V  Charging time Ch	Ports & interfaces			Pen weight	8.7 g
Headphone connectivity Headphone connectivity Bluetooth Speakers Speakers Stereo Wi-Fi  Volume control Buttons  Device type * Mobile tablet Form factor * Slate Product colour * Grey Protection features International Protection (IP) code International Protection (IP) code International Protection  Assisted GPS (A-GPS) *  GLONASS  BeiDou GPS (satellite) GPS (satellite) GPS (satellite) GPS (satellite) GPS (satellite) GPS (Satellite) GPS (SATELLIES) Buttons  Buttons  Buttons  Buttons  Usbray viewable area (HxV) 234.87 x 146.79 mm  Assisted GPX (A-GPS) mm  CC  CC  CA  CA  Maximum RAM supported GPS (A-GPS) mm  CA  Besolution CA  Batteries included CA  Batteries included CA  Waterproof CA  Wate	USB 2.0 Type-C ports quanti	ty	1	,	
Readphone connectivity Combo headphone/mic port  X  Wi-Fi  Volume control  Buttons  Device type * Mobile tablet  Form factor * Slate  Product colour * Grey  Protection features  International Protection (IP) code  Performance  Assisted GPS (A-GPS) *  GLONASS  GIONASS  GION	Microphone in		×	, ,,	
Combo headphone/mic port    Wi-Fi	•		Bluetooth	· -	
DesignVolume controlButtonsDevice type *Mobile tabletDisplay viewable area (HxV)234.87 x 146.79 mmForm factor *SlateRechargeable✓Product colour *GreyUSB cableCProtection featuresDust resistant, Water resistantMaximum RAM supported6 GBInternational Protection (IP) codeIP68Charging time1.5 hPerformanceDisplay typeTFTAssisted GPS (A-GPS) *✓Resolution2304 x 1440 pixelsGLONASS✓Package weight790 kgBeiDou✓Batteries included✓GPS (satellite)✓Dustproof✓Quasi-Zenith Satellite System✓DAM senseits6 CR	Combo headphone/mic port		×	•	
Device type * Mobile tablet Display viewable area (HxV) 234.87 x 146.79 mm  Form factor * Slate Rechargeable	Design				
Form factor * Slate Rechargeable C Product colour * Grey USB cable C Protection features Dust resistant, Water resistant Maximum RAM supported 6 GB International Protection (IP) code IP68 Charging time 1.5 h  Performance Display type TFT  Assisted GPS (A-GPS) * Resolution 2304 x 1440 pixels GLONASS Package weight 790 kg  BeiDou Power cord included Power cord inclu	-		Mak 9a tables		
Product colour * Grey USB cable C Protection features Dust resistant, Water resistant Maximum RAM supported 6 GB International Protection (IP) code IP68 Charging time 1.5 h  Performance Assisted GPS (A-GPS) * Resolution 2304 x 1440 pixels GLONASS Power cord included FeiDou Batteries included FeiDou Dustproof Galileo Waterproof Waterproof Waterproof Galileo Resolution FeiDou Maximum RAM supported 6 GB  USB cable C  Waterproof GBB  Waterproof GBB  Charging time 1.5 h  PERFORMANCE TO THE COMMENT OF	• •			• •	
Protection features International Protection (IP) code IP68  Charging time I.5 h  Performance  Assisted GPS (A-GPS) *  GLONASS  BeiDou  GPS (satellite)  Guasi-Zenith Satellite System  Dust resistant, Water resistant  Maximum RAM supported  6 GB  1.5 h  TFT  Resolution 2304 x 1440 pixels  790 kg  Power cord included  Batteries included  V Waterproof  Waterproof  Waterproof  PAM generality  FOR International Protection (IP) code  Waterproof  Power cord included  V Waterproof  Power cord included  FOR International Protection (IP) code  Waterproof  Power cord included  V Waterproof  Power cord included  FOR International Protection (IP) code  FOR International Protection (IP) code  Power cord included  V Waterproof  Power cord included  FOR International Protection (IP) code  FOR International Prot					
International Protection (IP) code IP68 Charging time 1.5 h  Performance Display type TFT  Resolution 2304 x 1440 pixels  Package weight 790 kg  Power cord included For continuity included For conti			-		
Performance  Assisted GPS (A-GPS) *  GLONASS  BeiDou  GPS (satellite)  Guasi-Zenith Satellite System  Display type  TFT  Resolution  2304 x 1440 pixels  790 kg  Power cord included  Batteries included  V  Dustproof  Waterproof  Waterproof  PAM generality  FOR Server in Cluded  A Company in Compan		code		• •	
Assisted GPS (A-GPS) *  GLONASS  Package weight Power cord included  BeiDou  GPS (satellite)  Galileo  Quasi-Zenith Satellite System  Resolution Package weight Power cord included  Batteries included  Waterproof  Waterproof  PAM generality  FOR Package weight Power cord included  Waterproof  FOR Package weight Power cord included  Waterproof  FOR Package weight Power cord included  FOR Package weight  FOR Package weight Power cord included  FOR Package weight Power cord included  FOR Package weight  F		couc	11 00		
Assisted GPS (A-GPS)  GLONASS  BeiDou  GPS (satellite)  Galileo  Quasi-Zenith Satellite System  Package weight  Power cord included  Batteries included  V  Dustproof  Waterproof  Package weight  Power cord included  V  Batteries included  V  Dustproof  Waterproof  PAM specifity  FAM specifi	Performance				
BeiDou Power cord included  Batteries included  GPS (satellite) Dustproof  Quasi-Zenith Satellite System  Power cord included  Waterproof  Waterproof  Power cord included  A  Batteries included  A  Dustproof  Waterproof  Waterproof  CR  CR  CR  CR  CR  CR  CR  CR  CR  C	Assisted GPS (A-GPS) *		✓		•
BeiDou Batteries included  GPS (satellite) Dustproof  Quasi-Zenith Satellite System  Batteries included  Waterproof  Waterproof  DAM generality  6 CP	GLONASS		✓		-
GPS (satellite)  Galileo  Quasi-Zenith Satellite System  Dustproof  Waterproof  PAM constitution of CP	BeiDou		✓		
Galileo Waterproof Vausi-Zenith Satellite System	GPS (satellite)		✓		•
Quasi-Zenith Satellite System Waterproof CR	Galileo		<b>✓</b>	•	•
		m		•	<b>✓</b>
			•	KAM capacity	6 GB

Performance		Other features	
Accelerometer	✓	Colour	1
Ambient light sensor	✓	Material	Aluminium, Glass
Gyroscope	✓	Manufacturer	Samsung
Hall sensor	<b>✓</b>	Power plug type	No plug
Position location *	<b>√</b>	LCD brightness (AC adaptor, bright)	
Country of origin	Vietnam	Total storage capacity	128 GB
, ,		Technical details	
Security		Integrated sensors	Accelerometer, Camera, Gyroscope
Fingerprint reader	✓	5	Tablet, USB-C Cable, S Pen, Quick
Password protection	✓	Packaging content	Start Guide, Warranty Card, Ejection
Face recognition	✓	Comment and	Pin
Software		Screen lock	<b>/</b>
Platform *	Android		



8806095267876

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.