

TP-Link Tapo C220 Pallomainen IP-turvakamera Sisätila 2560 x 1440 pikseliä Vastaanotto

Tuotemerkki : TP-Link Tuoteperhe: Tapo Tuotekoodi: TAPO C220

Tuotteen nimi: Tapo C220

TP-Link Tapo C220. Malli: IP-turvakamera, Tuettu sijoitus: Sisätila, Yhteysteknologia: Langaton. Kiinnitystyyppi: Vastaanotto, Tuotteen väri: Valkoinen, musta, Kotelo: Pallomainen. Objektiivin kuvakulma, vaakasuora: 360°. Optisen sensorin koko: 25,4 / 3 mm (1 / 3"). Night vision-etäisyys: 9 m, LED-malli: IR, Infrapuna-aallonpituus: 850 nm



Performance		Audio	
Type *	IP security camera	Built-in microphone	✓
Placement supported * Connectivity technology *	Indoor Wireless	Network	
Day/night mode	Wireless ✓	Ethernet LAN *	×
Design		Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Form factor * Mounting type *	Spherical Desk	Supported network protocols	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
Product colour *	White, Black	Wi-Fi *	000 111 000 11
Camera		Wi-Fi standards Wi-Fi data rate (max)	802.11b, 802.11g 72.2 Mbit/s
Lens viewing angle, horizontal	360°	Bluetooth *	X
Image sensor		Storage	
Number of sensors	1	Built-in HDD *	X
Optical sensor size	25.4 / 3 mm (1 / 3")		^
Night vision		Security	
Night vision *	✓	Security algorithms	128-bit AES
Night vision distance	9 m	Management features	
LED type	IR	Reset button	✓
Infra-red wavelength	850 nm		
	830 11111	Power	
Video	ווווו טכט	Power Power source type *	DC
	2560 x 1440 pixels		DC 100 - 240 V
Video Maximum resolution * Total megapixels *	2560 x 1440 pixels 2 MP	Power source type *	
Video Maximum resolution * Total megapixels * Supported graphics resolutions	2560 x 1440 pixels 2 MP 2560 x 1440	Power source type * AC input voltage AC input frequency DC output voltage	100 - 240 V 50 - 60 Hz 9
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes	2560 x 1440 pixels 2 MP 2560 x 1440 1440p	Power source type * AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording	2560 x 1440 pixels 2 MP 2560 x 1440 1440p	Power source type * AC input voltage AC input frequency DC output voltage	100 - 240 V 50 - 60 Hz 9
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording Frame rate	2560 x 1440 pixels 2 MP 2560 x 1440 1440p	Power source type * AC input voltage AC input frequency DC output voltage DC output current	100 - 240 V 50 - 60 Hz 9
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording	2560 x 1440 pixels 2 MP 2560 x 1440 1440p	Power source type * AC input voltage AC input frequency DC output voltage DC output current Weight & dimensions Width Depth	100 - 240 V 50 - 60 Hz 9 0.6 A 86.6 mm 85 mm
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording Frame rate	2560 x 1440 pixels 2 MP 2560 x 1440 1440p	Power source type * AC input voltage AC input frequency DC output voltage DC output current Weight & dimensions Width Depth Height	100 - 240 V 50 - 60 Hz 9 0.6 A 86.6 mm 85 mm 117.7 mm
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording Frame rate Audio	2560 x 1440 pixels 2 MP 2560 x 1440 1440p 30 fps	Power source type * AC input voltage AC input frequency DC output voltage DC output current Weight & dimensions Width Depth Height Cable length	100 - 240 V 50 - 60 Hz 9 0.6 A 86.6 mm 85 mm
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording Frame rate Audio	2560 x 1440 pixels 2 MP 2560 x 1440 1440p 30 fps	Power source type * AC input voltage AC input frequency DC output voltage DC output current Weight & dimensions Width Depth Height	100 - 240 V 50 - 60 Hz 9 0.6 A 86.6 mm 85 mm 117.7 mm
Video Maximum resolution * Total megapixels * Supported graphics resolutions Supported video modes Video recording Frame rate Audio	2560 x 1440 pixels 2 MP 2560 x 1440 1440p 30 fps	Power source type * AC input voltage AC input frequency DC output voltage DC output current Weight & dimensions Width Depth Height Cable length	100 - 240 V 50 - 60 Hz 9 0.6 A 86.6 mm 85 mm 117.7 mm





4895252500943

4895252500936

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.