Epson EcoTank ET-2870 Mustesuihku A4 5760 x 1440 DPI 33 ppm Wi-Fi

Tuotemerkki : Epson

Tuoteperhe: EcoTank Tuot

Tuotekoodi: C11CJ66421

Tuotteen nimi : ET-2870

Epson EcoTank ET-2870. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 5760 x 1440 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 15 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 2400 DPI. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta





Time to first page (colour, normal)16 sSecurity algorithmsWPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectDuplex copying *XProduct colour *BlackCopying *Colour copyingMarket positioning *BlackScanningXColour scanning *Security algorithmsMore & officeDuplex scanning *XColour displayJ.71 cm (1.46°)Duplex scanning *Colour scanningColour scanningColour display✓Optical scanning resolution *1200 x 2400 DPIPowerPowerMaximum scan resolution *1200 x 2400 DPIPower12 WScanne type *Flatbed scannerPower consumption (copying)12 WScanne type *Flatbed scannerPower consumption (sleep)0.7 WDocument formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.15 kWh/weekFaxXColour voltage100 - 240 VFaxing *XScantecture frequency50/60 HzFeaturesSystem requirementsSolot Hz				
Printing*Colour printingPaper tray media weight64 - 300 g/m²Duplex printing*XPorts & interfacesDirect printing*33 ppmDirect printing*A/US Letter)*33 ppmUSB portPrint speed (black, normal quality, A/US Letter)15 ppmPrint speed (ISO/IEC 24734) black10 ppmPrint speed (ISO/IEC 24734) colour5 ppmPrint speed (ISO/IEC 24734) colour5 ppmPrint speed (ISO/IEC 24734) colour5 ppmDirect printing technologies64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, W	Printing		Paper handling	
Duplex printing *×Ports & interfacesMaximum resolution *5760 x 1440 DPIPrint speed (black, normal quality, A4/US Letter) *33 ppmPrint speed (colour, normal quality, A4/US Letter) *35 ppmPrint speed (colour, normal quality, A4/US Letter) *15 ppmPrint speed (SO/IEC 24734) black10 ppmPrint speed (SO/IEC 24734) colour5 ppmPrint speed (SO/IEC 24734) colour5 ppmTime to first page (black, normal)10 sSecurity algorithms64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSKDuplex copying *XCopying *Colour copyingCopying *XColour copying *Colour copyingScanning *Colour scanningOptical scanning resolution *1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (sleep)0.7 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WImage formats supportedBMP, PEG, PICT, PNG, TIFFPower consumption (Sleep)0.7 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (Copying)12 WPower consumption (sleep)0	Print technology *	Inkjet	Borderless printing media sizes	
Maximum resolution *5760 x 1440 DPIDirect printing *·Print speed (black, normal quality, A4/US Letter) *33 ppmUSB port·Print speed (colour, normal quality, A4/US Letter) *15 ppmNetwork·Print speed (ISO/IEC 24734) black10 ppmWi-F1 *·Print speed (ISO/IEC 24734) black10 ppmWi-F1 Direct·Time to first page (black, normal)10 sSecurity algorithms64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKR, WPA-ZAES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectDuplex copying *XPoduct colour *BlackCopying *XColour copyingHome & officeScanning *Colour scanningColour scanningColour displayOptical scanning resolution *1200 x 2400 DPIPowerMaximum scan resolution1200 x 2400 DPIPower consumption (copying)Scaner type *Flatbed scannerPower consumption (copying)12 WScaner type *Flatbed scannerPower consumption (copying)0.7 WScaner type *Platbed scannerPower consumption (ready)4.5 WDuplex functions *MP, JPEG, PICT, PNG, TIFFPower consumption (ready)0.15 kWh/weekFaxing *XCinput voltage100 - 240 VFaxing *XCinput voltage100 - 240 VFaxing *Not supportedWindows Vista, Windows Vista, W	Printing *	Colour printing	Paper tray media weight	64 - 300 g/m²
Print speed (black, normal quality, A4/US Letter) 33 ppm USB port ✓ Print speed (colour, normal quality, A/US Letter) 15 ppm Network ✓ Print speed (ISO/IEC 24734) black 10 ppm Wi-Fi ✓ Print speed (ISO/IEC 24734) colour 5 ppm Wi-Fi Direct ✓ Time to first page (black, normal) 10 s Security algorithms 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK Time to first page (colour, normal) 10 s Security algorithms Apple AirPrint, Epson Connect Duplex copying X Product colour* Black Copying* Colour copying Product colour* Black Scanning Colour scanning Colour scanning Colour formation algorithms Scanning* Colour scanning Colour display ✓ Optical scanning resolution * 1200 x 2400 DPI Power Power consumption (copying) Scanner type * Flabed scanner Power consumption (ready) 4.5 W Scane tropolyter BMP, JPEG, PICT, PNG, TIFF Power consumption (ready) 0.5 KWh/week Image formats supported BMP, JPEG, PICT, PNG, TIFF Power consumption (ready) 0.5 KWh/week Faxing * X Colour torge proteor Colour Viage 0.15 kWh/week			Ports & interfaces	
Print speed (black, normal quality, A4/US Letter)33 ppmUSB portPrint speed (colour, normal quality, A4/US Letter)15 ppmNetworkPrint speed (ISO/IEC 24734) black10 ppmWi-FI*Print speed (ISO/IEC 24734) colour5 ppmWi-FI DirectPrint speed (ISO/IEC 24734) colour5 ppmG4-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (lolack, normal)10 sG4-bit WEP, 128-bit WEP, WPA2-PSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, WPA-TKIP, WPA2-AES, WPA2-AES, WPA2-AES, WPA2-FSK, 		5760 x 1440 DPI	Direct printing *	1
A4/US Letter)15 ppmNetworkPrint speed (ISO/IEC 24734) black10 ppmWi-Fi **Print speed (ISO/IEC 24734) colour5 ppmWi-Fi Direct*Time to first page (black, normal)10 sSecurity algorithms64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectDuplex copying *XMobile printing technologiesApple AirPrint, Epson ConnectCopying *Colour copyingProduct colour *BlackScanningColour scanningDisplay diagonal3.71 cm (1.46")Duplex scanning *Colour scanningColour display*Optical scanning resolution *1200 x 2400 DPIPowerVereMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WScan technologyCISPower consumption (ready)4.5 WDuplex functions *WDF, PEG, PICT, PNG, TIFFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxXColour display0.0 - 240 VFaxing *XWindows Vista, Windows Vista, A64, Windows XP, Windows XP		33 ppm		1
Print speed (ISO/IEC 24734) tolockID printPrint speed (ISO/IEC 24734) colour5 ppmWi-Fi Direct✓Print speed (ISO/IEC 24734) colour10 sSecurity algorithmsG4-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectDuplex copyingDuplex copying*XProduct colour *BlackColour copyingScanningColour copyingXControl typeTime to first page (colsur, normal)Duplex scanning *Colour copyingXColour scanningColour scanningPowerTime to first page (lack, normal)1200 x 2400 DPIMaximum scan resolution *1200 x 2400 DPIMaximum scan resolution *1200 x 2400 DPIScanner type *Flatbed scannerPower consumption (copying)12 WScanner type *Port Consumption (selep)0.7 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPaxAC input voltag	1 1 1 1	15 ppm		
Time to first page (black, normal)10 sSecurity algorithms64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectCopyingXDuplex copying *XDesignBlackCopying *Colour copyingProduct colour *BlackBlackScanningXColour scanning *BlackColour Second *Duplex scanning *XControl typeTouchSecurity algorithmsOptical scanning resolution *1200 x 2400 DPIPowerPowerPowerMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScaner type *Flatbed scannerPower consumption (copying)12 WScanet formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDecument formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (TEC)0.15 kWh/weekFaxXControl type0.0 - 240 VFaxing *XXXXDuplex functions *Not supportedSupportedWindows Vista X64, Windows XP, Windows XP	Print speed (ISO/IEC 24734) black	10 ppm	Wi-Fi *	✓
Time to first page (colour, normal)16 sSecurity algorithmsWPA-TKIP, WPA2-AES, WPA2-PSKTime to first page (colour, normal)16 sMobile printing technologiesApple AirPrint, Epson ConnectDuplex copying *XDesignDesignSecurity algorithmsBlackCopying *Colour copyingMarket positioning *BlackScanningXColour stanning *BlackScanning *Colour scanningColour displayJour (1.46")Duplex scanning resolution *1200 x 2400 DPIPowerPowerScaner type *Flatbed scannerPower consumption (copying)12 WScaner type *Flatbed scannerPower consumption (ready)4.5 WDocument formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (ready)0.15 kWh/weekFaxXColour vitage100 - 240 VFaxing *XStatementsStatementsDuplex functions *Not supportedNot supportedWindows operating systemsWindows Vista, Windows XP	Print speed (ISO/IEC 24734) colour	5 ppm	Wi-Fi Direct	 Image: A start of the start of
CopyingMobile printing technologiesApple AirPrint, Epson ConnectDuplex copying *×PesignCopying *Colour copyingProduct colour *BlackScanningColour copyingMobile printing technologiesApple AirPrint, Epson ConnectScanning *Colour copyingProduct colour *BlackDuplex scanning *×Control typeTouchDuplex scanning resolution *1200 x 2400 DPIColour displayMaximum scan resolution1200 x 2400 DPIPower12 WMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (ready)4.5 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (ready)0.15 kWh/weekPourent formats supportedPDFAc input voltage100 - 240 VFaxing *×Ac input voltage50/60 HzFeaturesWindows operating systemsWindows XP, Windows XP, W			Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK
Duplex copying *×DesignCopying *Colour copyingProduct colour *BlackScanningColour copyingMarket positioning *Home & officeDuplex scanning *×Control typeTouchDuplex scanning *Colour scanningColour display✓Optical scanning resolution *1200 x 2400 DPIPowerPowerMaximum scan resolution *1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (ready)4.5 WScan technologyCISPower consumption (sleep)0.7 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPenergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFax×AC input voltage100 - 240 VFaxing *×AC input voltage100 - 240 VFeaturesVindows operating systemsWindows Vista, Windows Vista x64, Windows XP, Win			Mobile printing technologies	Apple AirPrint, Epson Connect
Copying *Colour copyingProduct colour *BlackScanningColour copyingMarket positioning *Home & officeDuplex scanning *XControl typeTouchScanning *Colour scanningColour display✓Optical scanning resolution *1200 x 2400 DPIPowerFowerMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WDocument formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedBMP, JPEG, PICT, PNG, TIFFEnergy Star Typical Electricity0.15 kWh/weekFaxXConput voltage100 - 240 VFaxing *XSystem requirements50/60 HzFeaturesDuplex functions *Not supportedWindows operating systemsWindows Vista, Windows Vista v64, Windows XP, Windows XP			Design	
ScanningMarket positioning *Home & officeScanning×Duplex scanning *×Scanning *Not supportedDuplex scanning *×Colour scanningControl typeTouchScanning *Colour scanningColour display✓Optical scanning resolution *1200 x 2400 DPIPowerPowerMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (ready)0.15 kWh/weekFax×AC input voltage100 - 240 VFaxing *×SupportedSystem requirementsDuplex functions *Not supportedWindows operating systemsWindows Vista, Windows Vista, 44, Windows XP, Windows XP	1 1,7 5		Product colour *	Black
Duplex scanning *×Control type5.71 Clm (1.40 /)Duplex scanning *Colour scanningControl typeTouchScanning *Colour scanningColour display✓Optical scanning resolution *1200 x 2400 DPIPowerMaximum scan resolution1200 x 2400 DPIPowerScanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedPDFConsumption (TEC)0.15 kWh/weekFax×AC input voltage100 - 240 VFaxing *×AC input frequency50/60 HzFeaturesNot supportedNot supportedWindows operating systemsWindows Vista, Windows Vista x64, Windows XP, Windows XP, Windows XP	Copying *	Colour copying	Market positioning *	Home & office
Scanning *Colour scanningColour displayColour displayOptical scanning resolution *1200 x 2400 DPlPowerMaximum scan resolution1200 x 2400 DPlPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (ready)4.5 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedPDFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxXAC input voltage100 - 240 VFaxing *XSystem requirements50/60 HzDuplex functions *Not supportedWindows operating systems windows XP, Windows XP, Windows XP, Windows XPWindows XP, Windows XP	Scanning		Display diagonal	3.71 cm (1.46")
Optical scanning resolution *1200 x 2400 DPIPowerMaximum scan resolution1200 x 2400 DPIPower consumption (copying)12 WScanner type *Flatbed scannerPower consumption (ready)4.5 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedPDFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxXAC input voltage100 - 240 VFaxing *XSystem requirementsDuplex functions *Not supportedWindows operating systemsWindows Vista, Windows XP	Duplex scanning *	×	Control type	Touch
Maximum scan resolution1200 x 2400 DPIPowerScanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedPDFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxXAC input voltage100 - 240 VFaxing *XSystem requirements50/60 HzDuplex functions *Not supportedWindows operating systemsWindows Vista, Windows XP	Scanning *	Colour scanning	Colour display	✓
Scanner type *Flatbed scannerPower consumption (copying)12 WScan technologyCISPower consumption (ready)4.5 WImage formats supportedBMP, JPEG, PICT, PNG, TIFFPower consumption (sleep)0.7 WDocument formats supportedPDFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxAC input voltage100 - 240 VFaxing *XAC input frequency50/60 HzFeaturesNot supportedNot supportedWindows operating systems supportedWindows Vista, Windows XP			Power	
Scan technology CIS Power consumption (ready) 4.5 W Image formats supported BMP, JPEG, PICT, PNG, TIFF Power consumption (sleep) 0.7 W Document formats supported PDF Energy Star Typical Electricity Consumption (TEC) 0.15 kWh/week Fax AC input voltage 100 - 240 V Faxing * X System requirements Duplex functions * Not supported Windows operating systems Windows Vista, Windows XP			Power consumption (copying)	12 W
Image formats supported Document formats supportedBMP, JPEG, PICT, PNG, TIFF PDFPower consumption (sleep)0.7 WFaxPDFEnergy Star Typical Electricity Consumption (TEC)0.15 kWh/weekFaxAC input voltage100 - 240 VFaxing *×AC input frequency50/60 HzSystem requirementsDuplex functions *Not supportedWindows operating systems 				
Document formats supported PDF Energy Star Typical Electricity Consumption (TEC) 0.15 kWh/week Fax AC input voltage 100 - 240 V Faxing * X AC input frequency 50/60 Hz Features System requirements Duplex functions * Not supported Windows operating systems Windows Vista, Windows XP				0.7 W
Faxing * × AC input frequency 50/60 Hz Features System requirements Duplex functions * Not supported Windows operating systems supported Windows Vista, Windows XP, Windows XP	5	PDF		0.15 kWh/week
Features System requirements Duplex functions * Not supported Windows operating systems Windows Vista, Windows Vista X64, Windows XP	Fax		AC input voltage	100 - 240 V
Peatures Windows vista, Windows XP, Windows XP	Faxing *	×	AC input frequency	50/60 Hz
Duplex functions Windows operating systems Windows XP, Windows XP	Features		System requirements	
	I			

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date

Features		System requirements	
Printing colours *	Black, Cyan, Magenta, Yellow	Mac operating systems supported	✓ Windows Server 2003 R2, Windows
Input & output capacity Total number of input trays *	1	Server operating systems supported	
Total input capacity * Total output capacity *	100 sheets 30 sheets	Weight & dimensions	275
Paper handling		Width Depth	375 mm 347 mm
Maximum ISO A-series paper size * Maximum print size	A4 210 x 297 mm	Height Weight	179 mm 4.1 kg
ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A4, A5, A6 B5, B6	Packaging content	
ISO C-series sizes (C0C9)	C6 B5, B6, C6, DL 9x13,10x15,13x20	Cartridge(s) included	1
•		Included cartridge capacity (black) Included cartridge capacity (CMY) Cables included	3600 pages 6500 pages AC
		User guide	1
		Bundled software	Apple AirPrint, Epson Smart Panel App, Epson Connect (Email Print, Remote Print Driver)

Technical details

Warranty period

1 year(s)



8715946720579

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.