



MSI PRO B760-P DDR4 II emolevy Intel B760 LGA 1700 ATX

Tuotemerkki : MSI

Tuotekoodi: PRO B760-P DDR4 II

Tuotteen nimi : PRO B760-P DDR4 II

MSI PRO B760-P DDR4 II. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Pentium® Gold. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: SATA III, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, LAN-kontrolleri: Realtek RTL8125-BG. Komponentti (tuotteelle): PC, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: Intel



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor socket *	LGA 1700	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Pentium® Gold	Ethernet LAN (RJ-45) ports *	1
Memory		HDMI ports quantity *	1
Supported memory types *	DDR4-SDRAM	HDMI version	2.1
Number of memory slots *	4	DisplayPorts quantity	1
Memory slots type	DIMM	DisplayPort version	1.4
Memory channels	Dual-channel	Network	
ECC compatibility	Non-ECC	Ethernet LAN	✓
Supported memory clock speed (max)	5333 MHz	Ethernet interface type	2.5 Gigabit Ethernet
Maximum internal memory *	128 GB	LAN controller	Realtek RTL8125-BG
Unbuffered memory	✓	Wi-Fi *	✗
Storage controllers		Features	
Supported storage drive interfaces *	SATA III	Motherboard chipset *	Intel B760
RAID support	✓	Audio chip	Realtek ALC897
RAID levels	0, 1, 5, 10	Audio output channels *	7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	4	Motherboard form factor *	ATX
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	4	Motherboard chipset family *	Intel
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of SATA III connectors *	4	Expansion slots	
S/PDIF out connector	✓	PCI Express x1 (Gen 3.x) slots	1
Front panel audio connector	✓	PCI Express x1 (Gen 4.x) slots	2
Front panel connector	✓	PCI Express x4 (Gen 4.x) slots	1
ATX Power connector (24-pin)	✓	PCI Express x16 (Gen 4.x) slots	1
Power fan connector	✓	Number of M.2 (M) slots	2
CPU fan connector	✓	Weight & dimensions	
Chassis intrusion connector	✓	Width	243.8 mm
		Depth	304.8 mm

Internal I/O		Packaging content	
12V power connector	✓	Cables included	SATA
Rear panel I/O ports		Drivers included	✓
USB 2.0 ports quantity *	4		



4711377128889

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date