



## DELL P Series P3424WEB tietokoneen litteä näyttö 86,7 cm (34.1") 3440 x 1440 pikseliä 4K Ultra HD LCD musta

**Tuotemerkki :** DELL

**Tuoteperhe:** P Series

**Tuotekoodi:** DELL-P3424WEB

**Tuotteen nimi :** P3424WEB

DELL P Series P3424WEB. Näytön halkaisija: 86,7 cm (34.1"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta




Display		Ergonomics	
Display diagonal *	86.7 cm (34.1")	Panel mounting interface	100 x 100 mm
Display resolution *	3440 x 1440 pixels	Cable lock slot *	✓
HD type *	4K Ultra HD	Cable lock slot type	Kensington
Native aspect ratio *	21:9	Height adjustment *	✓
Display technology *	LCD	Adjustable height (max)	15 cm
Panel type *	IPS	Pivot	✗
Backlight type	LED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-30 - 30°
Display brightness (typical)	300 cd/m <sup>2</sup>	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	-5 - 21°
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Curved	Plug and Play	✓
Screen curvature rating	3800R		
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x 1440, 3440 x 1440	<b>Power</b>	
Supported video modes	480p, 720p, 1080i, 1080p	Energy efficiency class (SDR) *	F
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	32 kWh
Maximum refresh rate *	60 Hz	Power consumption (typical) *	31.5 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.3 W
Viewing angle, vertical	178°	Power consumption (max)	210 W
Display number of colours *	1.07 billion colours	Power consumption (off)	0.3 W
Response time (fast)	5 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2325 x 0.2325 mm	AC input frequency	50/60 Hz
Pixel density	109.68 ppi	Power supply type	Internal
Horizontal scan range	30 - 90 kHz	European Product Registry for Energy Labelling (EPREL) code	1378998
Vertical scan range	56 - 76 Hz		
Viewable size, horizontal	80 cm	<b>Operational conditions</b>	
Viewable size, vertical	33.5 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	86.71 cm	Storage temperature (T-T)	-20 - 60 °C
High Dynamic Range (HDR) supported	✗	Operating relative humidity (H-H)	10 - 80%
Surface hardness	3H	Storage relative humidity (H-H)	5 - 90%
		Operating altitude	0 - 5000 m
		Non-operating altitude	5000 - 12192 m

<b>Display</b>		<b>Weight &amp; dimensions</b>	
Colour gamut standard	sRGB	Width (with stand)	815.6 mm
Colour gamut	99%	Depth (with stand)	242.5 mm
<b>Performance</b>		Height (with stand)	595.9 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	10.8 kg
AMD FreeSync *	✗	Width (without stand)	815.6 mm
Flicker-free technology	✓	Depth (without stand)	84.8 mm
Low Blue Light technology	✓	Height (without stand)	420 mm
<b>Multimedia</b>		Weight (without stand)	7.43 kg
Number of speakers	2	Bezel width (side)	8.67 mm
RMS rated power	10 W	Bezel width (top)	3.92 cm
Built-in speaker(s) *	✓	Bezel width (bottom)	2.17 cm
Megapixel (approx.)	4 MP	<b>Packaging data</b>	
Built-in microphone	✓	Package weight	15.8 kg
Built-in camera *	✓	<b>Packaging content</b>	
<b>Design</b>		Stand included	✓
Market positioning *	Office	Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C
Product colour *	Black	Power adapter included	✓
Front bezel colour	Black	Remote control included	✗
Detachable stand	✓	Stylus included	✗
Feet colour	Silver	Quick start guide	✓
<b>Ports &amp; interfaces</b>		DisplayPort cable length	1.8 m
Built-in USB hub *	✓	<b>Sustainability</b>	
USB upstream port type	USB Type-B, USB Type-C	Sustainability compliance	✓
Number of upstream ports	2	Sustainability certificates	ENERGY STAR
USB Type-A downstream ports quantity	3	Doesn't contain	Arsenic, PVC/BFR
USB Type-C downstream ports quantity	1	<b>Carbon footprint</b>	
USB Type-C DisplayPort Alternate Mode	✓	Total carbon footprint (kg of CO2e)	788
USB Power Delivery (USB PD)	✓	Total carbon emissions, standard deviation (kg of CO2e)	187
USB Power Delivery up to	90 W	Carbon emissions, manufacturing (kg of CO2e)	467
HDMI *	✓	Carbon emissions, logistics (kg of CO2e)	78
HDMI ports quantity	1	Carbon emissions, energy usage (kg of CO2e)	234
HDMI version	2.1	Carbon emissions, end-of-life (kg of CO2e)	9
DisplayPorts quantity	1	Total carbon emissions, w/o use phase (kg of CO2e)	554
DisplayPort version	1.2	PAIA version	1.3.2
Headphone out *	✓	<b>Other features</b>	
Headphone connectivity	3.5 mm	Heavy metals free	Hg (mercury)
Microphone in	✓	Compliance certificates	RoHS
PC Audio in	✗	Ethernet LAN (RJ-45) ports	1
HDCP	✓		
HDCP version	2.2		
AC (power) in	✓		
<b>Network</b>			
Wi-Fi	✗		
Ethernet LAN	✓		
<b>Ergonomics</b>			
VESA mounting *	✓		



5397184657072



0884116441489



884116441489

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.