



DELL P Series P3424WEB tietokoneen litteä näyttö 86,7 cm (34.1") 3440 x 1440 pikseliä 4K Ultra HD LCD musta

Tuotemerkki : DELL

Tuoteperhe: P Series

Tuotekoodi: DELL-P3424WEB

Tuotteen nimi : P3424WEB

DELL P Series P3424WEB. Näytön halkaisija: 86,7 cm (34.1"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvausuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ports & interfaces	
Display diagonal *	86.7 cm (34.1")	HDCP	✓
Display resolution *	3440 x 1440 pixels	HDCP version	2.2
HD type *	4K Ultra HD	AC (power) in	✓
Native aspect ratio *	21:9	Network	
Display technology *	LCD	Wi-Fi	✗
Panel type *	IPS	Ethernet LAN	✓
Backlight type	LED	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	300 cd/m ²	Panel mounting interface	100 x 100 mm
Response time *	8 ms	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Curved	Height adjustment *	✓
Screen curvature rating	3800R	Adjustable height (max)	15 cm
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x 1440, 3440 x 1440	Pivot	✗
Supported video modes	480p, 720p, 1080i, 1080p	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-30 - 30°
Maximum refresh rate *	60 Hz	Tilt adjustment	✓
Viewing angle, horizontal	178°	Tilt angle range	-5 - 21°
Viewing angle, vertical	178°	On Screen Display (OSD)	✓
Display number of colours *	1.07 billion colours	Plug and Play	✓
Response time (fast)	5 ms	Power	
Pixel pitch	0.2325 x 0.2325 mm	Energy efficiency class (SDR) *	F
Pixel density	109.68 ppi	Energy consumption (SDR) per 1000 hours *	32 kWh
Horizontal scan range	30 - 90 kHz	Power consumption (typical) *	31.5 W
Vertical scan range	56 - 76 Hz	Power consumption (standby) *	0.3 W
Viewable size, horizontal	80 cm	Power consumption (max)	210 W
Viewable size, vertical	33.5 cm	Power consumption (off)	0.3 W
Display diagonal (metric)	86.71 cm	AC input voltage	100 - 240 V
High Dynamic Range (HDR) supported	✗	AC input frequency	50/60 Hz
Surface hardness	3H	Power supply type	Internal

Display		Power	
Colour gamut standard	sRGB	European Product Registry for Energy Labelling (EPREL) code	1378998
Colour gamut	99%		
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✗	Storage temperature (T-T)	-20 - 60 °C
Flicker-free technology	✓	Operating relative humidity (H-H)	10 - 80%
Low Blue Light technology	✓	Storage relative humidity (H-H)	5 - 90%
Multimedia		Operating altitude	0 - 5000 m
Number of speakers	2	Non-operating altitude	5000 - 12192 m
RMS rated power	10 W	Weight & dimensions	
Built-in speaker(s) *	✓	Width (with stand)	815.6 mm
Megapixel (approx.)	4 MP	Depth (with stand)	242.5 mm
Built-in microphone	✓	Height (with stand)	595.9 mm
Built-in camera *	✓	Weight (with stand)	10.8 kg
Design		Width (without stand)	815.6 mm
Market positioning *	Office	Depth (without stand)	84.8 mm
Product colour *	Black	Height (without stand)	420 mm
Front bezel colour	Black	Weight (without stand)	7.43 kg
Detachable stand	✓	Bezel width (side)	8.67 mm
Feet colour	Silver	Bezel width (top)	3.92 cm
Ports & interfaces		Bezel width (bottom)	2.17 cm
Built-in USB hub *	✓	Packaging data	
USB upstream port type	USB Type-B, USB Type-C	Package weight	15.8 kg
Number of upstream ports	2	Packaging content	
USB Type-A downstream ports quantity	3	Stand included	✓
USB Type-C downstream ports quantity	1	Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C
USB Type-C DisplayPort Alternate Mode	✓	Power adapter included	✓
USB Power Delivery (USB PD)	✓	Remote control included	✗
USB Power Delivery up to	90 W	Stylus included	✗
HDMI *	✓	Quick start guide	✓
HDMI ports quantity	1	DisplayPort cable length	1.8 m
HDMI version	2.1	Sustainability	
DisplayPorts quantity	1	Sustainability compliance	✓
DisplayPort version	1.2	Sustainability certificates	ENERGY STAR
Headphone out *	✓	Doesn't contain	Arsenic, PVC/BFR
Headphone connectivity	3.5 mm	Other features	
Microphone in	✓	Heavy metals free	Hg (mercury)
PC Audio in	✗	Compliance certificates	RoHS
		Ethernet LAN (RJ-45) ports	1



5397184657072

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.