

Batterie LED Nachtlicht NLB 02 BS
mit Bewegungsmelder und Push-Schalter

Steckbrief

- Infrarot Bewegungsmelder
- Push Schalter ein/aus
- Unabhängig von der Steckdose



**NEU
NEW**

**60
Lumen**



Technische Highlights

- Batterie LED Nachtlicht mit 2 LEDs
- Infrarot Bewegungsmelder mit 100° horizontalem Erfassungswinkel und max. 3 m Reichweite
- Push Schalter ein/aus
- Unabhängig von der Steckdose
- 2 Magnete und ein Haken



**Batterie LED Nachtlicht NLB 02 BS
1173290**

Lieferumfang

- Nachtlicht
- 3x AA Alkaline
- Im Double Blister verpackt

Technische Daten

- | | |
|-------------------------------|---------------------|
| • LEDs | 2x 0,5W |
| • Funktionen | Auto, off, on, Push |
| • Lichtleistung front/spot | 60lm |
| • Leuchtwinkel front/spot | 120° |
| • Leuchtdauer | 20h |
| • Twilight sensor sensivity | 10lux |
| • PIR sensor distance | 2-3m |
| • PIR sensor angle horizontal | 100° |
| • PIR time delay | 20sec |
| • Lichtfarbe | warm-white |
| • Batterie | 3x AA |
| • Lebensdauer | 50.000 h |
| • Schutzart | IP 20 |
| • Betriebstemperatur | -10 bis +40° C |
| • Masse | Φ84x(H)61 mm |
| • Gewicht (netto) | 60g |



Battery LED night light NLB 02 BS
With motion sensor and push-switch

Characteristics

- Infrared motion sensor
- Push switch On/Off
- Independent from the outlet



Technical highlights

- Battery LED night light with 2 LEDs
- Infrared motion sensor with 100° horizontal detection angle and max. 3 m range
- Push switch On/Off
- Independent from the outlet
- 2 magnets and hooks



**Battery LED night light NLB 02 BS
1173290**

Scope of Delivery

- Night light
- 3x AA alkaline
- Double blister pack

Specifications

- | | |
|-------------------------------|---------------------|
| • LEDs | 2x 0.5W |
| • Functions | auto, off, on, push |
| • Luminous power front/spot | 60lm |
| • Beam angle front/spot | 120° |
| • Light ON time | 20h |
| • Twilight sensor sensitivity | 10lux |
| • PIR sensor distance | 2-3m |
| • PIR sensor angle horizontal | 100° |
| • PIR time delay | 20sec |
| • Color temperature | warm-white |
| • Battery | 3x AA |
| • Lifespan | 50,000 h |
| • Type of protection | IP 20 |
| • Operating temperatures | -10 to +40° C |
| • Dimensions | Φ84x(H)61 mm |
| • Weight (net) | 60g |

