

## DELL UltraSharp U2724DE tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U2724DE

Tuotteen nimi : U2724DE

DELL UltraSharp U2724DE. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	1
Display resolution *	2560 x 1440 pixels	Cable lock slot type	Kensington
HD type *	Quad HD	Height adjustment *	1
Native aspect ratio *	16:9	Height adjustment	15 cm
Display technology *	LCD	Pivot	1
Panel type *	IPS	Pivot angle	-90 - 90°
Backlight type	Edge LED	Swivelling	1
Touchscreen *	×	Swivel angle range	-45 - 45°
Display brightness (typical)	350 cd/m <sup>2</sup>	Tilt adjustment	✓
Response time *	8 ms	Tilt angle range	- -5 - 21°
Anti-glare screen	✓	On Screen Display (OSD)	✓ <sup>−</sup>
Screen shape *	Flat	Plug and Play	·
	640 x 480 (VGA), 720 x 400, 800 x	Plug and Play	<i>.</i>
	600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024	Power	
Supported graphics resolutions	(SXGA), 1280 x 720 (HD 720), 1600	Energy efficiency class (SDR) *	F
	x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1080, 2560	Energy efficiency class (HDR) *	Not available
	x 1440	Energy consumption (SDR) per 1000	24 kWh
Supported video modes	480p, 576p, 720p, 1080i, 1080p	hours *	24.4.14
Contrast ratio (typical) *	2000:1	Power consumption (typical) *	24.4 W 0.5 W
Maximum refresh rate *	120 Hz	Power consumption (standby) *	0.5 W 225 W
Viewing angle, horizontal	178°	Power consumption (max) Power consumption (off)	225 W 0.3 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	1.07 billion colours	AC input frequency	50/60 Hz
Response time (fast)	5 ms	Input current	2.65 A
Pixel pitch	0.2331 x 0.2331 mm	Power supply type	Internal
Pixel density	108.97 ppi	European Product Registry for	
Viewable size, horizontal	59.7 cm	Energy Labelling (EPREL) code	1591641
Viewable size, vertical	33.6 cm	Operational conditions	
Digital horizontal frequency	30 - 178 kHz	•	0
Digital horizontal frequency Digital vertical frequency	30 - 178 kHz 48 - 120 Hz	Operating temperature (T-T) Storage temperature (T-T)	0 - 40 °C -20 - 60 °C

Display		Operational conditions	
Display diagonal (metric)	68.47 cm	Operating relative humidity (H-H)	10 - 80%
High Dynamic Range (HDR)	×	Storage relative humidity (H-H)	5 - 90%
supported		Operating altitude	0 - 5000 m
Surface hardness	3H 8 bit	Non-operating altitude	5000 - 12192 m
Colour depth Colour gamut standard	DCI-P3	Weight & dimensions	
Colour gamut	98%	Width (with stand)	612.2 mm
sRGB coverage (typical)	100%	Depth (with stand)	192.3 mm
Performance		Height (with stand)	535.6 mm
NVIDIA G-SYNC *	×	Weight (with stand)	6.98 kg
		Width (without stand)	612.2 mm
AMD FreeSync *	×	Depth (without stand) Height (without stand)	50.1 mm 352.5 mm
Flicker-free technology	V	Weight (without stand)	5.23 kg
Low Blue Light technology	✓	Bezel width (side)	7.75 mm
Multimedia		Bezel width (top)	7.75 mm
Built-in speaker(s) *	×	Bezel width (bottom)	9.1 mm
Built-in camera *	×	Packaging data	
Design		Package weight	10.2 kg
Market positioning *	Business	Packaging content	
Product colour *	Black, Silver	Stand included	1
Front bezel colour	Black		AC, DisplayPort, Thunderbolt, USB
Feet colour	Silver	Cables included	Type-A to USB Type-C
Ports & interfaces		Power adapter included	✓
Built-in USB hub *	1	Remote control included	×
USB upstream port type	USB Type-C	Stylus included	×
Number of upstream ports	1	Quick start guide	1
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability compliance	
USB Type-C downstream ports	1	Sustainability certificates Doesn't contain	ENERGY STAR, TCO PVC/BFR
quantity	1	Carbon footprint	
USB Type-C DisplayPort Alternate Mode	1	Total carbon footprint (kg of CO2e)	640
USB Power Delivery (USB PD)	1	Total carbon emissions, standard	649
USB Power Delivery up to	90 W	deviation (kg of CO2e)	152
HDMI *	✓	Carbon emissions, manufacturing	412
HDMI ports quantity	1	(kg of CO2e) Carbon emissions, logistics (kg of	
HDMI version	2.1	Corbon emissions, logistics (kg of CO2e)	49
DisplayPorts quantity	2	Carbon emissions, energy usage (kg	182
DisplayPort version Thunderbolt 4 ports quantity	1.4 2	of CO2e) Carbon emissions, end-of-life (kg of	
Headphone out *	2	Corbon emissions, end-of-life (kg of CO2e)	6
Microphone in	×	Total carbon emissions, w/o use	467
PC Audio in	×	phase (kg of CO2e) PAIA version	1.3.2
HDCP	✓ ✓	Other features	
HDCP version	1.4		1
AC (power) in	✓	RJ-45 ports quantity Compliance certificates	I RoHS
Network		p	-
Wi-Fi	×		
Ethernet LAN	✓ ( )		
Ergonomics			
VESA mounting *	<ul> <li>Image: A second s</li></ul>		
Panel mounting interface	100 x 100 mm		
Cable management	1		



5397184821480

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.