Samsung S43GC LED display 61 cm (24") 1920 x 1080 pikseliä Full **HD LCD musta**

Tuotemerkki : Samsung

Tuoteperhe: Essential Monitor Tuotekoodi: LS24C432GAUXEN

Tuotteen nimi : S43GC

Samsung S43GC. Näytön halkaisija: 61 cm (24"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HDtyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USBkeskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	61 cm (24")	Tilt adjustment	1
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 24°
HD type *	Full HD	Picture-in-Picture	×
Native aspect ratio *	16:9	Black eQualizer function	×
Display technology *	LCD		
Panel type *	IPS	Power	
Display brightness (typical)	250 cd/m²	Energy efficiency class (SDR) *	D
Display brightness (min)	200 cd/m²	Energy efficiency class (HDR) *	Not available
Response time *	4 ms	Energy consumption (SDR) per 1000 hours *	13 kWh
Response time measurement type	GTG (Gray to Gray)	Power consumption (typical) *	13.4 W
Screen shape *	Flat	Power consumption (max)	55 W
Contrast ratio (typical) *	1000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	100 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical Display number of colours *	178° 16.7 million colours	Energy efficiency scale	A to G
Viewable size, horizontal	52.7 cm	European Product Registry for	1599810
Viewable size, vertical	29.6 cm	Energy Labelling (EPREL) code	1333610
Display diagonal (metric)	60 cm	Operational conditions	
High Dynamic Range (HDR)	•	Operating temperature (T-T)	10 - 40 °C
	×	Operating temperature (T-T) Operating relative humidity (H-H)	10 - 40 °C 10 - 80%
High Dynamic Range (HDR)	NTSC	Operating relative humidity (H-H)	
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut	NTSC 72%	Operating relative humidity (H-H) Weight & dimensions	10 - 80%
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical)	NTSC	Operating relative humidity (H-H) Weight & dimensions Width (with stand)	10 - 80% 539.9 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut	NTSC 72%	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand)	10 - 80% 539.9 mm 219.7 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical)	NTSC 72% 95%	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology	NTSC 72% 95%	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand)	10 - 80% 539.9 mm 219.7 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC *	NTSC 72% 95% ×	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync *	NTSC 72% 95% ×	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type	NTSC 72% 95% ×	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm 57.2 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync *	NTSC 72% 95% × FreeSync	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Height (without stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm 57.2 mm 321.6 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut sRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type VESA Adaptive Sync support	NTSC 72% 95% × FreeSync	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Height (without stand) Weight (without stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm 57.2 mm 321.6 mm
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut standard SRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type VESA Adaptive Sync support Flicker-free technology	NTSC 72% 95% × FreeSync × *	Operating relative humidity (H-H) Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Height (without stand) Height (without stand) Meight (without stand) Meight (without stand) Meight (without stand)	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm 57.2 mm 321.6 mm 2.9 kg
High Dynamic Range (HDR) supported Colour gamut standard Colour gamut standard SRGB coverage (typical) Quantum dot color technology Performance NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type VESA Adaptive Sync support Flicker-free technology Game mode	NTSC 72% 95% × FreeSync ×	Operating relative humidity (H-H)Weight & dimensionsWidth (with stand)Depth (with stand)Height (with stand)Weight (with stand)Width (without stand)Depth (without stand)Weight (without stand)Weight (without stand)Height (without stand)Height (without stand)Backaging dataStand type	10 - 80% 539.9 mm 219.7 mm 518.9 mm 4.8 kg 539.9 mm 57.2 mm 321.6 mm 2.9 kg HAS stand

Multimedia		Packaging data	
Built-in speaker(s) *	×	Package weight	6.8 kg
Adaptive Sound Control (ASC)	×	Packaging content	
Built-in camera *	×	Cables included	HDMI, USB Type-A to USB Type-B
Design		Remote control included	×
Market positioning *	Professional	Power cable length	1.5 m
Product colour *	Black	Sustainability	
Feet colour	Black	Sustainability certificates	тсо
Ports & interfaces		Other features	
Built-in USB hub *	1	Low input lag	×
USB hub version	3.2 Gen 1 (3.1 Gen 1)	TV Plus	×
USB Type-A downstream ports guantity	4	Works with Samsung Bixby	×
VGA (D-Sub) ports quantity	1	Wireless Dex support	×
DVI port	×	Tap view	×
HDMI *	1	Far-field voice interaction	×
HDMI ports quantity	1	Universal guide	×
HDMI version	1.4	Multi View	×
DisplayPorts quantity	1	Local dimming	×
DisplayPort version	1.2	Picture-by-Picture (PbP)	×
Audio input	×	Samsung Eye Saver Mode	 Image: A set of the set of the
Headphone out *	×	Anynet + (HDMI-CEC)	×
Built-in KVM switch	×	Daisy chain	×
HDCP		Eco Saving Plus	 Image: A set of the set of the
HDCP version	1.4	Image size	Yes
Network		Wireless display	×
Wi-Fi	×	Disclaimer	×
Bluetooth	×	Factory tunning	No
Ethernet LAN	×	Adaptive picture	×
Ergonomics		Auto source switch	 Image: A set of the set of the
VESA mounting *	1	Off Timer Plus	×
Panel mounting interface	100 x 100 mm	Smart calibration	×
Wall mountable	1	Knox vault	×
Height adjustment *	1	Workspace	×
Adjustable height (max)	13 cm	Virtual AIM point	×
Pivot	1	My contents	×
Pivot angle	-2 - 92°	Recycling data	
Swivelling Swivel angle range	✓ -45 - 45°	Total amount of recyclable materials	82.1%



8806095057156

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.