



## AOC G2 CQ32G2SE/BK LED display 80 cm (31.5") 2560 x 1440 pikseliä 2K Ultra HD musta, Punainen

**Tuotemerkki :** AOC

**Tuoteperhe:** G2

**Tuotekoodi:** CQ32G2SE/BK

**Tuotteen nimi :** CQ32G2SE/BK

AOC G2 CQ32G2SE/BK. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: 2K Ultra HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. VESA-kiinnitys. Tuotteen väri: musta, Punainen



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	DisplayPort version	1.2
Display resolution *	2560 x 1440 pixels	Audio input	✗
HD type *	2K Ultra HD	Headphone out *	✓
Native aspect ratio *	16:9	Headphone outputs	1
Display technology *	LED	Headphone connectivity	3.5 mm
Panel type *	VA	DC-in jack	✓
Backlight type	W-LED		
Touchscreen *	✗		
Display brightness (typical)	250 cd/m <sup>2</sup>	<b>Ergonomics</b>	
Response time *	1 ms	VESA mounting *	✓
Display surface	Matt	Panel mounting interface	100 x 100 mm
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Curved	Cable lock slot type	Kensington
Screen curvature rating	1500R	Height adjustment *	✗
Supported graphics resolutions	2560 x 1440	Pivot	✗
Supported video modes	1080p, 1440p	Tilt adjustment	✓
Aspect ratio	4:3, 16:9	Tilt angle range	-5 - 23°
Contrast ratio (typical) *	3000:1	On Screen Display (OSD)	✓
Contrast ratio (dynamic)	80000000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Maximum refresh rate *	165 Hz	Number of OSD languages	16
Viewing angle, horizontal	178°	Plug and Play	✓
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours	<b>Power</b>	
Pixel pitch	0.2724 x 0.2724 mm	Energy efficiency class (SDR) *	G
Pixel density	94 ppi	Energy consumption (SDR) per 1000 hours *	35 kWh
Viewable size, horizontal	69.7 cm		
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	80.01 cm		
Surface hardness	3H		

<b>Display</b>		<b>Power</b>	
Colour depth	8 bit	Power consumption (typical) *	49 W
Colour gamut standard	sRGB	Power consumption (standby) *	0.3 W
sRGB coverage (typical)	121%	Power consumption (off)	0.3 W
NTSC coverage (typical)	85%	AC input voltage	100 - 240 V
Adobe RGB coverage	90%	AC input frequency	50 - 60 Hz
Screen curvature	150 cm	Energy efficiency scale	A to G
<b>Performance</b>		European Product Registry for Energy Labelling (EPREL) code	400522
NVIDIA G-SYNC *	✗	External power adapter	✓
AMD FreeSync *	✓	<b>Weight &amp; dimensions</b>	
AMD FreeSync type	FreeSync Premium	Width (with stand)	709.9 mm
AMD FreeSync refresh rate range	48 - 165 Hz	Depth (with stand)	244.9 mm
Fast charging	✗	Height (with stand)	524.4 mm
Flicker-free technology	✓	Weight (with stand)	7.5 kg
Low Blue Light technology	✓	Width (without stand)	709.9 mm
<b>Multimedia</b>		Depth (without stand)	85 mm
Number of speakers	2	Height (without stand)	425.5 mm
RMS rated power	5 W	<b>Packaging data</b>	
Built-in speaker(s) *	✓	Package width	813 mm
Built-in microphone	✗	Package depth	225 mm
Built-in camera *	✗	Package height	607 mm
<b>Design</b>		Package weight	10.5 kg
Market positioning *	Gaming	Package type	Box
Product colour *	Black, Red	<b>Packaging content</b>	
Frameless design	✓	Stand included	✓
Front bezel colour	Black/Red	Cables included	AC, DisplayPort, HDMI
Detachable stand	✓	DisplayPort cable length	1.8 m
Feet colour	Black	HDMI cable length	1.8 m
<b>Ports &amp; interfaces</b>		<b>Sustainability</b>	
Built-in USB hub *	✗	Sustainability certificates	ENERGY STAR
DVI port	✗	<b>Other features</b>	
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Recyclable packaging material	100%
HDMI version	2.0	Heavy metals free	Hg (mercury)
DisplayPorts quantity	1	Compliance certificates	RoHS
		Light effects	✗
		Certification	ISO 9241-307
		<b>Logistics data</b>	
		Harmonized System (HS) code	85285210



4038986118439



3523210101062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.