iiyama

iiyama ProLite tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LED Kosketusnäyttö musta

Tuotemerkki : iiyama   **Tuoteperhe:** ProLite   **Tuotekoodi:** T2438MSC-B1

Tuotteen nimi : PROLITE

iiyama ProLite . Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys. Tuotteen väri: musta

Display

Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✔
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (peak)	600 cd/m²
Display brightness (typical)	525 cd/m²
Response time *	5 ms
Response time measurement type	GTG (Gray to Gray)
Screen shape *	Flat
Aspect ratio	16:9
Contrast ratio (typical) *	1000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 83 kHz
Display diagonal (metric)	60.5 cm
Surface hardness	7H

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘

Multimedia

Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✔

Ports & interfaces

HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out *	✘
HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	German, English, French, Japanese, Polish, Russian
Plug and Play	✔

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Power consumption (typical) *	22 W
Power consumption (standby) *	1.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
European Product Registry for Energy Labelling (EPREL) code	1530357

Weight & dimensions

Width (with stand)	561.5 mm
Depth (with stand)	239.5 mm
Height (with stand)	366 mm
Weight (with stand)	8.2 kg
Bezel width (side)	1.73 cm
Bezel width (top)	2.03 cm
Bezel width (bottom)	2.03 cm

Packaging data

Package width	650 mm
Package depth	155 mm

Multimedia		**Packaging data**	
Built-in camera *	✘	Package height	430 mm
Design		Package weight	10 kg
Product colour *	Black	**Packaging content**	
Glass thickness	3.6 mm	Cables included	HDMI, Power, USB
Ports & interfaces		Quick start guide	✔
Built-in USB hub *	✔	**Other features**	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	International Protection (IP) code	IP1X
USB Type-A downstream ports quantity	2	Certification	CE, TÜV-Bauart, EAC, RoHS support, ErP, WEEE, REACH, UKCA
HDMI *	✔		

4948570122905