iiyama XUB2492HSU-W6 tietokoneen litteä näyttö 60,5 cm (23.8") 1920 x 1080 pikseliä Full HD LED Valkoinen

Tuotemerkki : iiyama

Tuotekoodi: XUB2492HSU-W6

Tuotteen nimi : XUB2492HSU-W6

iiyama XUB2492HSU-W6. Näytön halkaisija: 60,5 cm (23.8"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 0,4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: Valkoinen

Display

Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	0.4 ms
Screen shape *	Flat
Contrast ratio (typical) *	1300:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 115 kHz
Display diagonal (metric)	60.5 cm
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	4 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Product colour *	White

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
HDMI *	✔
HDMI ports quantity	1

Ports & interfaces

DisplayPort version	1.4
Headphone out *	✔
HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Height adjustment *	✔
Height adjustment	15 cm
Pivot	✔
Pivot angle	0 - 90°
Swivelling	✔
Tilt adjustment	✔
Tilt angle range	5 - 22°

Power

Energy efficiency class (SDR) *	D
Energy consumption (SDR) per 1000 hours *	13 kWh
Power consumption (typical) *	15 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1671438

Weight & dimensions

Width (with stand)	539.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	493 mm
Weight (with stand)	4.9 kg
Width (without stand)	539.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	343 mm

Packaging data

Package width	609 mm
Package depth	159 mm
Package height	398 mm

Ports & interfaces

DisplayPorts quantity	1

4948570123346