

Samsung S65UC computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LCD Black

Brand : Samsung

Product family: ViewFinity

Product code:
LS34C652UAUXEN

Product name : S65UC

Samsung S65UC. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	86.4 cm (34")	Swivel angle range	-30 - 30°
Display resolution *	3440 x 1440 pixels	Tilt adjustment	✓
HD type *	UltraWide Quad HD	Tilt angle range	-2 - 20°
Native aspect ratio *	21:9	Picture-in-Picture	✓
Display technology *	LCD	Black eQualizer function	✗
Panel type *	VA	Power	
Display brightness (typical)	350 cd/m ²	Energy efficiency class (SDR) *	G
Display brightness (min)	280 cd/m ²	Energy efficiency class (HDR) *	G
Response time *	5 ms	Energy consumption (SDR) per 1000 hours *	32 kWh
Screen shape *	Curved	Energy consumption (HDR) per 1000 hours *	52 kWh
Screen curvature rating	1000R	Power consumption (typical) *	32 W
Contrast ratio (typical) *	3000:1	Power consumption (max)	200 W
Dynamic contrast ratio marketing name	Mega DCR	Power consumption (off)	0.3 W
Maximum refresh rate *	100 Hz	AC input voltage	100 - 240 V
Refresh rate optimizor	✗	Power supply type	Internal
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	European Product Registry for Energy Labelling (EPREL) code	1571400
Display number of colours *	1.07 billion colours	Operational conditions	
Viewable size, horizontal	79.7 cm	Operating temperature (T-T)	10 - 40 °C
Viewable size, vertical	33.4 cm	Operating relative humidity (H-H)	10 - 80%
Display diagonal (metric)	86 cm	Weight & dimensions	
High Dynamic Range (HDR) supported	✓	Width (with stand)	806.6 mm
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Depth (with stand)	241 mm
sRGB coverage (typical)	115%	Height (with stand)	561.5 mm
Quantum dot color technology	✗	Weight (with stand)	8 kg
Performance		Width (without stand)	806.6 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	125 mm
AMD FreeSync *	✓	Height (without stand)	369.4 mm
AMD FreeSync type	FreeSync	Weight (without stand)	5.2 kg
VESA Adaptive Sync support	✗	Packaging data	
Flicker-free technology	✓	Stand type	HAS stand
Game mode	✗		

Performance		Packaging data	
Smart modes	FPS, RPG, RTS	Package width	807 mm
Windows operating systems supported	Windows 10	Package depth	367 mm
Multimedia		Package height	125 mm
RMS rated power	5 W	Package weight	10.5 kg
Built-in speaker(s) *	✓	Packaging content	
Adaptive Sound Control (ASC)	✗	Cables included	DisplayPort, HDMI, USB Type-C
Built-in camera *	✗	Remote control included	✗
Design		Power cable length	1.5 m
Market positioning *	Professional	Sustainability	
Product colour *	Black	Sustainability certificates	TCO
Feet colour	Black	Other features	
Ports & interfaces		Low input lag	✗
Built-in USB hub *	✓	TV Plus	✗
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Works with Samsung Bixby	✗
USB upstream port type	USB Type-B	Wireless Dex support	✗
Number of upstream ports	1	Tap view	✗
USB Type-A downstream ports quantity	3	Far-field voice interaction	✗
USB Type-C downstream ports quantity	1	Universal guide	✗
USB Power Delivery (USB PD)	✓	Multi View	✗
USB Power Delivery up to	90 W	Local dimming	✗
DVI port	✗	Power consumption (DPMS)	0.5 W
HDMI *	✓	Picture-by-Picture (PbP)	✓
HDMI ports quantity	1	Samsung Eye Saver Mode	✓
HDMI version	2.0	Daisy chain	✗
DisplayPorts quantity	1	Anynet + (HDMI-CEC)	✗
DisplayPort version	1.2	Video colour modes	Custom, Eco, Entertain, Game, Graphic, Original, Sports, Standard
Audio input	✗	Eco Saving Plus	✗
Headphone out *	✓	Image size	Yes
Built-in KVM switch	✓	Wireless display	✗
HDCP	✓	Gray balance	No
HDCP version	2.2	Disclaimer	✗
Network		Factory tuning	No
Wi-Fi	✗	Adaptive picture	✓
Bluetooth	✗	Auto source switch	✓
Ethernet LAN	✓	Off Timer Plus	✓
Ergonomics		Smart calibration	✗
VESA mounting *	✓	Knox vault	✗
Panel mounting interface	100 x 100 mm	Workspace	✗
Wall mountable	✓	Factory calibration report	✗
Height adjustment *	✓	Uniformity correction	✗
Height adjustment	12 cm	Virtual AIM point	✗
Pivot	✗	My contents	✗
Swivelling	✓	Recycling data	
		Total amount of recyclable materials	10%



8806094974751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-DEC-2024. Prints or copies of Information are only valid on the printed Publication date