



## BenQ MW632ST Vakioprojektori 3200 ANSI lumenia DLP WXGA (1280x800) 3D Valkoinen

**Tuotemerkki :** BenQ

**Tuotekoodi:** 9H.JE277.13H

**Tuotteen nimi :** MW632ST

BenQ MW632ST. Projektorin kirkkaus: 3200 ANSI lumenia, Projektionteknologia: DLP, Projektorin oletusresoluutio: WXGA (1280x800). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 4500 h, Valonlähteen käyttöikä (säästötila): 6000 h. Polttovälialue: 10.2 - 12.24 mm, Aukkoalue (F-F): 2,6 - 2,78, Zoomaussuhde: 1.2:1. Analogisen signaalin järjestelmä: SECAM, NTSC, PAL, Tuetut 3D-formaatit: Peräkkäiset kuvat, Ylhäällä ja alhaalla, Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 1600 x 1200 (UXGA). Sarjaliitännän tyyppi: RS-232, HDMI-versio: 1.4a, USB-liitin: USB A-tyyppi, Mini-USB B



Projector		Ports & interfaces	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Mobile High-Definition Link (MHL)	✓
Contrast ratio (dynamic)	13000:1	<b>Network</b>	
Projector brightness *	3200 ANSI lumens	Ethernet LAN *	✗
Projection technology *	DLP	Wi-Fi *	✗
Projector native resolution *	WXGA (1280x800)	Bluetooth	✗
Native aspect ratio *	16:10	<b>Storage</b>	
Number of colours	1.073 billion colours	Card reader integrated *	✓
Horizontal scan range	15 - 102 kHz	<b>Features</b>	
Vertical scan range	24 - 120 Hz	Noise level (economic mode)	28 dB
Keystone correction, horizontal	-30 - 30°	HDCP	✗
Horizontal synchronization (min)	15 kHz	On Screen Display (OSD)	✓
Horizontal synchronization (max)	102 kHz	On Screen Display (OSD) languages	Arabic, Dutch, Norwegian, Bulgarian, English, Indonesian, Italian, Polish, Swedish, Japanese, Portuguese, Thai, Finnish, Romanian, Turkish, Croatian, French, Korean, Russian, Czech, Greek, Danish, Hungarian
Vertical synchronization (min)	0.024 kHz	Number of OSD languages	28
Vertical synchronization (max)	0.12 kHz	Noise level *	33 dB
<b>Light source</b>		<b>Multimedia</b>	
Light source type *	Lamp	Built-in speaker(s) *	✓
Service life of light source *	4500 h	RMS rated power	10 W
Service life of light source (economic mode)	6000 h	Number of built-in speakers	1
Lamp power	196 W	<b>Design</b>	
<b>Lens system</b>		Market positioning *	Business
Focal length range	10.2 - 12.24 mm	Product type *	Standard throw projector
Aperture range (F-F)	2.6 - 2.78	Product colour *	White
Zoom ratio	1.2:1	Placement	Desktop
Throw ratio	0.72 - 0.87:1	Cable lock slot	✓
Vertical lens shift range	-30 - 30%	<b>Display</b>	
Offset	105%	Built-in display *	✓
<b>Video</b>		Display number of colours	1.073 billion colours
Analog signal format system *	SECAM, NTSC, PAL		
Full HD *	✗		
3D *	✓		
Supported 3D formats	Frame Sequential, Top and bottom		
Supported graphics resolutions	640 x 480 (VGA), 1600 x 1200 (UXGA)		

Video		Power	
Supported video modes	576i, 480i, 576p, 1080i, 480p, 1080p, 720p	Power source *	AC
Video processing	30 bit	Power consumption (typical) *	305 W
<b>Ports &amp; interfaces</b>		Power consumption (standby) *	0.5 W
HDMI version	1.4a	Power consumption (PowerSave)	220 W
S-Video inputs quantity	1	AC input voltage	100 - 240 V
USB 2.0 ports quantity	1	AC input frequency	50 - 60 Hz
Mini-USB 2.0 ports quantity	1	<b>Operational conditions</b>	
Audio (L/R) in *	1	Operating temperature (T-T)	0 - 40 °C
Microphone in	✗	<b>Weight &amp; dimensions</b>	
Serial interface type *	RS-232	Width	287.3 mm
PC Audio in	✓	Depth	232.6 mm
PC Audio out	✓	Height	114.4 mm
PC in (D-Sub)	✓	Weight *	2.6 kg
VGA (D-Sub) ports quantity *	2	<b>Packaging content</b>	
HDMI ports quantity *	2	Remote control included *	✓
USB connector type	USB Type-A, Mini-USB B	Remote control type	IR
DVI port *	✗	Batteries included	✓
		Cables included	AC, VGA
		Quick start guide	✓
		Manual	✓
		Warranty card	✓
		<b>Technical details</b>	
		Operating time	4000 h
		<b>Other features</b>	
		RS-232 ports	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAR-2025. Prints or copies of Information are only valid on the printed Publication date