

BenQ LW550 dataprojektori Vakioprojektori 3000 ANSI lumenia DLP WXGA (1200x800) 3D Valkoinen

Tuotemerkki : BenQ Tuotekoodi: 9H.JRT77.13E

Tuotteen nimi: LW550



BenQ LW550. Projektorin kirkkaus: 3000 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: WXGA (1200x800). Valonlähteen tyyppi: LED, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Zoomaussuhde: 1.1:1, Heittosuhde: 1.55 - 1.7, Siirtymä: 100%. Videon väritilat: Bright cinema, Esitys, sRGB. Sarjaliitännän tyyppi: RS-232, HDMI-versio: 1.4a



Projector		Storage	
Smart projector *	×	Card reader integrated *	x
Projector brightness *	ction technology * DLP ctor native resolution * WXGA (1200x800) rast ratio (typical) * 20000:1 re aspect ratio * 16:10 ber of colours 1.07 billion colours contal scan range 15 - 102 kHz cal scan range 23 - 120 Hz tone correction, horizontal -30 - 30° tone correction, vertical -30 - 30°	Features	
Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range Vertical scan range Keystone correction, horizontal Keystone correction, vertical Colour gamut		Interactive * Noise level (economic mode) HDCP Noise level * Multimedia Built-in speaker(s) * RMS rated power Number of built-in speakers	x 28 dB v 34 dB v 10 W 1
Light source	9370	Design	
Light source type * Service life of light source * Service life of light source (economic mode)	LED 20000 h 30000 h	Market positioning * Product type * Product colour * Placement	Business Standard throw projector White Ceiling, Desktop
Lens system		Display	
Zoom capability Zoom ratio	✓ 1.1:1	Built-in display * Power	×
Throw ratio Offset	1.55 - 1.7 100%	Power source * Power consumption (typical) *	AC 215 W
Video		Power consumption (standby) *	0.5 W
Full HD * 3D * Video colour modes	X ✓ Bright cinema, Presentation, sRGB	AC input voltage AC input frequency Cord length	100 - 240 V 50/60 Hz 1.8 m

Ports & interfaces		Operational conditions	
USB 2.0 ports quantity Headphone outputs Serial interface type * HDMI ports quantity *	1.4a 1 1 RS-232 2	Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
		Width Depth Height Weight *	303.5 mm 220.7 mm 107.4 mm 2.6 kg
Network		Packaging content	
Smart TV * Ethernet LAN * Wi-Fi *	x x	Remote control included * Batteries included Cables included Manual	AC
		Logistics data	
		Quantity per pack	1 pc(s)



4718755091056

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.