

## BenQ LH550 dataprojektori Vakioprojektori 2600 ANSI lumenia DLP 1080p (1920x1080) 3D Valkoinen

Tuotemerkki: BenQ Tuotekoodi: 9H.JRV77.13E

Tuotteen nimi: LH550



BenQ LH550. Projektorin kirkkaus: 2600 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: LED, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Polttovälialue: 22 - 24.1 mm, Aukkoalue (F-F): 2,4 - 2,5, Zoomaussuhde: 1.1:1. Videon väritilat: Bright cinema, Esitys, sRGB. Sarjaliitännän tyyppi: RS-232, HDMIversio: 1.4a



Projector		Network	
Projection technology * DLP Projector native resolution * 1080p (1920) Contrast ratio (typical) * 15000:1 Native aspect ratio * 16:9	×	Wi-Fi *	X
	1080p (1920x1080) 15000:1 16:9	Storage	
		Card reader integrated *	X
		Features	
		Interactive *	×
Number of colours Horizontal scan range	1.07 billion colours 15 - 102 kHz	Noise level (economic mode)	28 dB
Vertical scan range	23 - 120 Hz	HDCP	<b>✓</b>
Keystone correction, horizontal	-30 - 30°	Noise level *	34 dB
Keystone correction, vertical	-30 - 30°	Multimedia	
Colour gamut	95%	Built-in speaker(s) *	✓
Light source		RMS rated power	10 W
Light source type *	LED	Number of built-in speakers	1
Service life of light source *	20000 h	Design	
Service life of light source (economic mode)	30000 h	Market positioning * Product type *	Business Standard throw projector
Lens system		Product colour *	White
Focal length range	22 - 24.1 mm	Placement	Ceiling, Desktop
Aperture range (F-F)	2.4 - 2.5	Display	
Zoom capability	<b>/</b>	Built-in display *	×
Zoom ratio Throw ratio	1.1:1 1.49 - 1.64	Power	
Offset	100%	Power source *	AC
Video		Power consumption (typical) *	215 W
Full HD *	<b>✓</b>	Power consumption (standby) *	0.5 W 100 - 240 V
3D *	✓	AC input voltage AC input frequency	100 - 240 V 50/60 Hz
		1 -17	•

Video		Power	
Video colour modes	Bright cinema, Presentation, sRGB	Cord length	1.8 m
Ports & interfaces		Operational conditions	
HDMI version USB 2.0 ports quantity Headphone outputs Serial interface type * HDMI ports quantity * DVI port *	1.4a 1 1 RS-232 2	Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
		Width	303.5 mm
		Depth	220.7 mm
		Height	107.4 mm
Network		Weight *	2.6 kg
		Packaging content	
Smart TV * Ethernet LAN *	x x	Remote control included *	✓
		Batteries included	<b>✓</b>
		Cables included	AC
		Manual	✓
		Logistics data	
		Quantity per pack	1 pc(s)



4718755091179

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.