

BenQ LK935 Standard throw projector 5500 ANSI lumens DLP UHD 4K (3840x2160) 3D White

Brand : BenQ

Product code: 9H.JS277.14E

Product name : LK935

BenQ LK935. Projector brightness: 5500 ANSI lumens, Projection technology: DLP, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: 8.6 - 9.4 mm, Zoom ratio: 1.6:1, Throw ratio: 1.36 - 2.18. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b





Projector		Ports & interfaces	
Smart projector *XScreen size compatibility *3810 - 5080 mm (150 - 200")Projector brightness *5500 ANSI lumensProjection technology *DLPProjector native resolution *UHD 4K (3840x2160)Contrast ratio (typical) *3000000:1Native aspect ratio *16:9Number of colours1.07 billion coloursVertical scan range15 - 135 Hz	VGA (D-Sub) ports quantity * S/PDIF out port HDMI ports quantity * 3D sync port 3G-SDI input 3G-SDI output AC (power) in DC-in jack Audio Return Channel (ARC)	1 2 1	
3D vertical scan range Keystone correction, horizontal Keystone correction, vertical Colour gamut	tion, horizontal -30 - 30°	Network Ethernet LAN * Ethernet LAN (RJ-45) ports	✓ 1
Light source type * Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Wi-Fi * Features HDCP HDCP version	× 2.2
Lens system Focal length range F-number (relative aperture) Zoom capability Zoom ratio	8.6 - 9.4 mm 1.809 ✔ 1.6:1	Multimedia Built-in speaker(s) * RMS rated power Number of built-in speakers	✓ 10 W 1
Zoom ratio1.6:1Throw ratio1.36 - 2.18Horizontal lens shift range-23 - 23%Vertical lens shift range-60 - 60%Offset0%	Design Market positioning * Product type * Product colour *	Business Standard throw projector White	

Video		Display	
Full HD *	✓	Built-in display *	×
3D *	 Image: A second s	Power	
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Power source *	AC
Ports & interfaces		Power consumption (typical) *	405 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	2.0b	Power consumption (max)	520 W
HDBaseT port	1	AC input voltage	100 - 240 V
USB 2.0 ports quantity	1	AC input frequency	50/60 Hz
USB 2.0 Type-A ports quantity	1	Cord length	1.8 m
Audio (L/R) in *	1	Operational conditions	
Audio (L/R) out	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
		Width	416 mm
		Denth	351 mm

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width	416 mm
Depth	351 mm
Height	166 mm
Weight *	7 kg
Technical details	
Image lag time	33.4 ms
Other features	
Security updates end date	31/12/2026





4718755091902

0840046048891



840046048891

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.