



Canon MAXIFY GX1050 Inkjet A4 600 x 1200 DPI Wi-Fi

Brand : Canon

Product family: MAXIFY

Product code: 6169C006


Product name : GX1050

Canon MAXIFY GX1050. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 600 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black, White



| | | | |
|-------------------------------------|-----------------|---|--|
| Printing | | Network | |
| Print technology * | Inkjet | Wi-Fi * | ✓ |
| Printing * | Colour printing | Ethernet LAN * | ✓ |
| Duplex printing * | ✓ | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Maximum resolution * | 600 x 1200 DPI | Security algorithms | WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP, WPA3-EAP, WPA3-SAE |
| Print speed (ISO/IEC 24734) mono | 10 ipm | Mobile printing technologies | Mopria Print Service, Apple AirPrint, PIXMA Cloud Link |
| Print speed (ISO/IEC 24734) colour | 15 ipm | | |
| Time to first page (black, normal) | 9 s | | |
| Time to first page (colour, normal) | 10 s | | |
| Copying | | Performance | |
| Copying * | Colour copying | Sound pressure level (printing) | 46.5 dB |
| Maximum number of copies | 99 copies | | |
| Copier resize | 25 - 400% | | |
| N-in-1 copy function | ✓ | | |
| N-in-1 copy function (N=) | 2, 4 | | |
| ID-card copy function | ✓ | | |
| Scanning | | Design | |
| Scanning * | Colour scanning | Product colour * | Black, White |
| Optical scanning resolution * | 1200 x 2400 DPI | Market positioning * | Home & office |
| Maximum scan area | 216 x 297 mm | Built-in display * | ✓ |
| Scanner type * | Flatbed scanner | Display | LCD |
| Scan technology | CIS | Display diagonal | 6.86 cm (2.7") |
| Input colour depth | 16 bit | Control type | Touch |
| Output colour depth | 8 bit | Colour display | ✓ |
| Input greyscale depth | 16 bit | | |
| Output greyscale depth | 8 bit | | |
| Fax | | Power | |
| Faxing * | ✗ | Power consumption (copying) | 21 W |
| | | Power consumption (off) | 0.1 W |
| | | Energy Star Typical Electricity Consumption (TEC) | 0.14 kWh/week |
| | | AC input voltage | 100 - 240 V |
| | | AC input frequency | 50/60 Hz |

| Features | | System requirements | |
|-----------------------------------|-----------------------------------|---|---|
| Maximum duty cycle * | 27000 pages per month | Windows operating systems supported | Windows 10, Windows 11, Windows 8.1 |
| Duplex functions * | Print | | Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura |
| Number of print cartridges * | 4 | Mac operating systems supported | |
| Printing colours * | Black, Cyan, Magenta, Yellow | Server operating systems supported | Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022 |
| Input & output capacity | | Mobile operating systems supported | Android, iOS |
| Total number of input trays * | 1 | Other operating systems supported | Android, iOS |
| Maximum input capacity | 250 sheets | Operational conditions | |
| Paper handling | | Operating relative humidity (H-H) | 10 - 90% |
| Maximum ISO A-series paper size * | A4 | Operating temperature (T-T) | 5 - 35 °C |
| Paper tray media types * | Envelopes, Executive, Plain paper | Weight & dimensions | |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Width | 374 mm |
| ISO B-series sizes (B0...B9) | B5 | Depth | 510 mm |
| Non-ISO print media sizes | Executive, Legal, Letter, Oficio | Height | 187 mm |
| Envelopes sizes | 10, C5, DL, Monarch | Weight | 7 kg |
| Photo paper sizes | 10x15,13x18,18x25,20x25 | Packaging content | |
| Custom media width | 89 - 216 mm | Cartridge(s) included | ✓ |
| Custom media length | 127 - 355.6 mm | Included cartridge capacity (black) | 3000 pages |
| Paper tray media weight | 64 - 105 g/m ² | Included cartridge capacity (CMY) | 3000 pages |
| Ports & interfaces | | Included cartridge capacity (economy mode, black) | 4500 pages |
| USB port | ✓ | Included cartridge capacity (economy mode, CMY) | 4500 pages |
| USB connector | USB Type-B | Cables included | AC |



4549292219616

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.