



## Lindy 10m 3.5mm to Phono Audio Cable, Cromo Line

**Brand :** Lindy

**Product code:** 35337

**Product name :** 10m 3.5mm to Phono Audio Cable, Cromo Line

10m 3.5mm to Phono Audio Cable, Cromo Line

[Lindy 10m 3.5mm to Phono Audio Cable, Cromo Line:](#)

The Cromo Line Lindy 3.5mm to Phono Audio Cable is a high quality, flexible cable, ideal for use with hi-fi and audio equipment. It provides premium quality cable construction at an affordable price and features 24K gold plated contacts for optimum conductive ability and resistance to tarnishing and corrosion.

The Lindy 3.5mm to Phono Audio Cable is ideal for connecting portable devices with a 3.5mm socket to Hi-fi separates, sound bars or to your TV. The cable can be used in either direction and is available at distances up to 10m.

**PVC and Halogen free design:** These cables are made using Thermoplastic Elastomers (TPE) for the jacket and nylon insulation for the inner conductors. They are completely PVC and halogen free in line with EU directives which aim to limit the use of PVC and the toxic additives contained in typical cable designs.



### Features

|                            |                               |
|----------------------------|-------------------------------|
| Cable length *             | 10 m                          |
| Connector 1 *              | 3.5mm                         |
| Connector 1 gender *       | Male                          |
| Connector 2 *              | 2 x RCA                       |
| Connector 2 gender *       | Male                          |
| Connector 1 form factor    | Straight                      |
| Connector 2 form factor    | Straight                      |
| Connector contacts plating | Gold                          |
| Product colour *           | Anthracite                    |
| Cable material             | Copper                        |
| Jacket material            | Thermoplastic elastomer (TPE) |
| AWG wire size              | 28                            |

### Features

Plug and Play ✔

### Certificates

Compliance certificates RoHS

### Operational conditions

Operating temperature (T-T) -20 - 80 °C

Storage temperature (T-T) -25 - 85 °C

### Weight & dimensions

Cable diameter 3 mm

### Packaging data

Package type Polybag

### Logistics data

Harmonized System (HS) code 85189000



4002888353373

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date