iiyama

iiyama ProLite XUB2794HSU-B6 tietokoneen litteä näyttö 68,6 cm (27") 1920 x 1080 pikseliä Full HD musta

Tuotemerkki : iiyama   **Tuoteperhe:** ProLite   **Tuotekoodi:** XUB2794HSU-B6

Tuotteen nimi : XUB2794HSU-B6

iiyama ProLite XUB2794HSU-B6. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Vasteaika (tyypillinen): 1 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Panel type *	VA
Display brightness (typical)	250 cd/m²
Response time *	1 ms
Screen shape *	Flat
Contrast ratio (typical) *	4000:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.311 x 0.311 mm
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✔
AMD FreeSync type	FreeSync
Flicker-free technology	✔

Multimedia

Number of speakers	2
RMS rated power	4 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Office
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
HDMI *	✔
DisplayPorts quantity	1
Headphone out *	✔
HDCP	✔

Ergonomics

Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Height adjustment	15 cm
Pivot	✔
Pivot angle	0 - 90°
Swivelling	✔
Swivel angle range	180 - 180°
Tilt angle range	23 - 5°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Number of OSD languages	10

Power

Energy efficiency class (SDR) *	E
Power consumption (typical) *	20.5 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1591090

Weight & dimensions

Width (with stand)	613.5 mm
Depth (with stand)	224.5 mm
Height (with stand)	551 mm
Weight (with stand)	5.3 kg

Packaging data

Package width	691 mm
Package depth	447 mm
Package height	142 mm
Package weight	6.6 kg
Package type	Box

Packaging content

Cables included	AC, HDMI, USB
Quick start guide	✔

Ergonomics			Other features	
VESA mounting *	✔		Certification	TCO Certified, CE, TÜV-Bauart, EAC, VCCI-B, PSE, RoHS, ErP, WEEE, REACH, UKCA
Panel mounting interface	100 x 100 mm			

4948570122684