## ASUS TUF GAMING Z790-PLUS WIFI Intel Z790 LGA 1700 ATX

Brand: ASUS Product code: 90MB1D80-M1EAY0

Product name: TUF GAMING Z790-PLUS WIFI

TUF Gaming Z790-Plus WIFI motherboard socket Intel LGA1700 (ATX, PCIe 5.0, DDR5 memory, 4x M.2, HDMI, DisplayPort, WiFi 6, Aura Sync)

ASUS TUF GAMING Z790-PLUS WIFI. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™.... Supported memory types: DDR5-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, Supported storage drive types: HDD & SSD, RAID levels: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet, Top Wi-Fi standard: Wi-Fi 6 (802.11ax), Wi-Fi standards: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: Intel





Processor			Rear panel I/O ports	
Processor manufacturer *		Intel	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Processor socket *		LGA 1700 Intel® Celeron®, Intel® Pentium®	USB 3.2 Gen 2x2 Type-C ports quantity	1
Compatible processor series *		Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9 LGA 1700	Ethernet LAN (RJ-45) ports *	1
Supported processor sockets			HDMI ports quantity *	1
Memory		LGA 1700	HDMI version	2.1
Supported memory types *	DDR5-SDRAM		DisplayPorts quantity	1
Number of memory slots *	4		DisplayPort version	1.4
Memory slots type Memory channels	DIMM Dual-channel		Headphone outputs	1
ECC compatibility	Non-ECC		Line-in	<b>✓</b>
Supported memory clock speeds	4800,5000,5200, MHz	5400,5600,5800,6000,6200,6400,6600,6800,7000,7200	Microphone in	✓
Supported memory clock speed (max)	7200 MHz		S/PDIF out port	✓
Maximum internal memory *	128 GB		WiFi-AP antenna jack	2
Unbuffered memory	1		Network	
Storage controllers				
Supported storage drive types		HDD & SSD	Ethernet LAN	1
Supported storage drive interfaces *		M.2, SATA III	Ethernet interface type	2.5 Gigabit Ethernet
RAID support		<b>✓</b>	Wi-Fi *	✓
RAID levels		0, 1, 5, 10	Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Graphics		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	
Parallel processing technology support *		Not supported	Bluetooth	✓ (6621214X)
Internal I/O			Bluetooth version	5.3
USB 2.0 connectors *		2	Features	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *		1	Motherboard chipset * Audio chip	Intel Z790 Realtek S1220A
USB 3.2 Gen 2 (3.1 Gen 2) connectors *		1	Audio output channels *	7.1 channels

al I/O		Features	
r of SATA III connectors * anel audio connector wer connector (24-pin) a connector	4 ✓ ✓ 4	Component for *  Motherboard form factor *  Motherboard chipset family *  Windows operating systems supported	PC ATX Intel Windows 10 x64, Windows 11
per of chassis fan connectors ower connector (8-pin)		Expansion slots	
ober of COM connectors Inderbolt headers Inderbolt headers Inderbolt headers Inderbolt header	1 1 •	PCI Express x1 (Gen 3.x) slots PCI Express x4 (Gen 4.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	2 1 1 1
panel I/O ports		BIOS	
6B 3.2 Gen 1 (3.1 Gen 1) Type-A orts quantity * 6B 3.2 Gen 2 (3.1 Gen 2) Type-A	2	BIOS type * BIOS memory size	UEFI AMI 192 Mbit
orts quantity *		Weight & dimensions	
		Width Depth	305 mm 244 mm
		Packaging content	
		Cables included	SATA

