ASUS ROG STRIX B760-A GAMING WIFI Intel B760 LGA 1700 ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB1EP0-M1EAY0

Tuotteen nimi : ROG STRIX B760-A GAMING WIFI

ASUS ROG STRIX B760-A GAMING WIFI. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, Wi-Fi-standardi: Wi-Fi 6E (802.11ax), Wi-Fi-standardit: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E.... Komponentti (tuotteelle): PC, Emolevyn muototekijä: ATX, Emolevyn piirisarjan perhe: Intel





| Processor | | | Rear panel I/O ports | |
|---|--------------------------------------|--|---|---|
| Processor manufacturer * | | Intel | USB 2.0 ports quantity * | 4 |
| Processor socket * | | LGA 1700 Intel® Celeron®, Intel® Pentium® | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2 |
| Compatible processor series * | | Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9 LGA 1700 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity * | 1 |
| Supported processor sockets | | | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 1 |
| Memory Supported memory types * DDR5-SDRAM | | | USB 3.2 Gen 2x2 Type-C ports quantity | 1 |
| Number of memory slots * Memory slots type Memory channels ECC compatibility | 4 DIMM Dual-channel Non-ECC | | Ethernet LAN (RJ-45) ports * | 1 |
| | | | HDMI ports quantity * | 1 |
| Supported memory clock speeds | 7800,7600,7400,7200,70 MHz | 00,6800,6600,6400,6200,6000,5800,5600,5400,5200,5000,4800 | HDMI version | 2.1 |
| Supported memory clock speed (max) | 7800 MHz | | DisplayPorts quantity | 1 |
| Maximum internal memory * Unbuffered memory | 192 GB | | DisplayPort version | 1.4 |
| • | | | Headphone outputs | 1 |
| Storage controllers | | | Line-in | Image: A set of the set of the |
| Supported storage drive types | | HDD & SSD | Microphone in | 1 |
| Supported storage drive interfaces * | | | Network | |
| Number of HDDs supported 4 | | | | <i>i</i> |
| Number of storage drives supported | | | Ethernet LAN | |
| RAID support | | | Ethernet interface type | 2.5 Gigabit Ethernet |
| RAID levels | | 0, 1, 5, 10 | Wi-Fi * | <i>✓</i> |
| Graphics | | | Top Wi-Fi standard | Wi-Fi 6E (802.11ax) |
| Parallel processing technology support * | | Not supported | | |

| Internal I/O | | | | | |
|--|---|--|--|--|--|
| USB 2.0 connectors * | 1 | | | | |
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 1 | | | | |
| USB 3.2 Gen 2 (3.1 Gen 2) connectors * | 1 | | | | |
| Number of SATA III connectors * | 4 | | | | |
| S/PDIF out connector | 1 | | | | |
| Front panel audio connector | • | | | | |
| ATX Power connector (24-pin) | • | | | | |
| CPU fan connector | 1 | | | | |
| Number of chassis fan connectors | 4 | | | | |
| Peripheral (Molex) power connectors (4-pin) | 1 | | | | |
| EPS power connector (8-pin) | 1 | | | | |
| Thunderbolt headers | 1 | | | | |
| 12V power connector | • | | | | |
| RGB LED pin header | | | | | |

| Network | | | | | |
|--|---|--|--|--|--|
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) | | | | |
| Bluetooth | 1 | | | | |
| Bluetooth version | 5.3 | | | | |
| Features | | | | | |
| Motherboard chipset * Audio chip Audio output channels * Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported | Intel B760 Realtek ALC4080 7.1 channels PC ATX Intel Windows 10 x64, Windows 11 | | | | |
| Expansion slots | | | | | |
| PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 3.x) slots Number of M.2 (M) slots | 2 1 3 | | | | |
| BIOS | | | | | |
| BIOS type * BIOS memory size | UEFI AMI 256 Mbit | | | | |
| Weight & dimensions | | | | | |
| Width Depth | 305 mm 244 mm | | | | |
| Packaging content | | | | | |
| Cables included | SATA | | | | |



4711387114063

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.