îiyama

iiyama ProLite T1532MSC-B1S tietokoneen litteä näyttö 38,1 cm (15") 1024 x 768 pikseliä XGA LCD Kosketusnäyttö musta

Tuotemerkki: iiyama Tuoteperhe: ProLite Tuotekoodi: T1532MSC-B1S

Tuotteen nimi: T1532MSC-

B1S

iiyama ProLite T1532MSC-B1S. Näytön halkaisija: 38,1 cm (15"), Näytön erottelutarkkuus: 1024 x 768 pikseliä, HD-tyyppi: XGA, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 4:3, Katselukulma, vaakasuora: 176°, Katselukulma, pystysuora: 176°. Sisäiset kaiuttimet. VESA-kiinnitys. Tuotteen väri: musta





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology *	38.1 cm (15") 1024 x 768 pixels XGA 4:3 LCD	HDMI * HDMI ports quantity DisplayPorts quantity Headphone out * HDCP	1 1 1 ×
Panel type * Touchscreen *	TN ✓	Ergonomics	
Touchscreen technology Touch technology Number of simultaneous touchpoints Display brightness (typical) Response time * Screen shape * Contrast ratio (typical) * Viewing angle, horizontal Viewing angle, vertical Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency	Projected capacitive system Multi-touch 10 350 cd/m² 8 ms Flat 800:1 176° 176° 0.297 x 0.297 mm 30.4 cm 22.8 cm 31 - 60 kHz	VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Tilt adjustment Tilt angle range Power Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (standby) *	✓ 100 x 100 mm ✓ ✓ Kensington × ✓ -5 - 90° E 16 W 1.5 W
Performance	31 - 00 KHZ	Power consumption (off)	0.3 W 100 - 240 V
NVIDIA G-SYNC * AMD FreeSync * Multimedia	x x	AC input voltage AC input frequency Power supply type European Product Registry for Energy Labelling (EPREL) code	100 - 240 V 50/60 Hz Internal 1547232
Number of speakers	2	Weight & dimensions	
RMS rated power Built-in speaker(s) * Built-in camera *	2 W ✓	Width (with stand) Depth (with stand) Height (with stand)	351 mm 200 mm 306.5 mm

Design		Weight & dimensions	
Product colour *	Black	Weight (with stand)	3.7 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	×	Cables included	Audio, DisplayPort, HDMI, Power, USB
USB Touch port	Other features	Ouick start guide	√
VGA (D-Sub) ports quantity		· J	
		International Protection (IP) code	IP54



4948570122097

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.