



## DELL P Series P3424WE tietokoneen litteä näyttö 86,7 cm (34.1") 3440 x 1440 pikseliä 4K Ultra HD LCD musta

**Tuotemerkki :** DELL

**Tuoteperhe:** P Series

**Tuotekoodi:** DELL-P3424WE

**Tuotteen nimi :** P3424WE

DELL P Series P3424WE. Näytön halkaisija: 86,7 cm (34.1"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	86.7 cm (34.1")	Height adjustment	15 cm
Display resolution *	3440 x 1440 pixels	Pivot	✗
HD type *	4K Ultra HD	Swivelling	✓
Native aspect ratio *	21:9	Swivel angle range	-30 - 30°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
Backlight type	W-LED	Picture-in-Picture	✓
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Plug and Play	✓
Response time *	8 ms	LED indicators	✓
Anti-glare screen	✓		
Screen shape *	Curved	Power	
Screen curvature rating	3800R	Energy efficiency class (SDR) *	F
	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3440 x 1440	Energy efficiency class (HDR) *	Not available
Supported graphics resolutions		Energy consumption (SDR) per 1000 hours *	32 kWh
		Power consumption (typical) *	31.7 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.3 W
Contrast ratio (typical) *	1000:1	Power consumption (max)	180 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.3 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours *	1.07 billion colours	Input current	2 A
Response time (fast)	5 ms	Power supply type	Internal
Pixel pitch	0.2325 x 0.2325 mm	Energy efficiency scale	A to G
Pixel density	109.24 ppi	European Product Registry for Energy Labelling (EPREL) code	1398385
Viewable size, horizontal	80 cm	Operational conditions	
Viewable size, vertical	33.5 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size diagonal	86.7 cm	Storage temperature (T-T)	-20 - 60 °C
Digital horizontal frequency	30 - 90 kHz	Operating relative humidity (H-H)	20 - 80%
Digital vertical frequency	56 - 76 Hz	Storage relative humidity (H-H)	10 - 90%
Display diagonal (metric)	86.72 cm	Operating altitude	0 - 5000 m
High Dynamic Range (HDR) supported	✗	Non-operating altitude	5000 - 12192 m
Surface hardness	3H		

<b>Display</b>		<b>Weight &amp; dimensions</b>	
Colour gamut standard	sRGB	Width (with stand)	815.7 mm
Colour gamut	99%	Depth (with stand)	237.4 mm
<b>Performance</b>		Height (with stand)	541.1 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	10.2 kg
AMD FreeSync *	✗	Width (without stand)	815.7 mm
Flicker-free technology	✓	Depth (without stand)	58.1 mm
Low Blue Light technology	✓	Height (without stand)	365.4 mm
Smart modes	Standard	Weight (without stand)	6.95 kg
<b>Multimedia</b>		Bezel width (side)	8.7 mm
Built-in speaker(s) *	✗	Bezel width (top)	8.7 mm
Built-in camera *	✗	Bezel width (bottom)	2.19 cm
<b>Design</b>		<b>Packaging data</b>	
Market positioning *	Office	Package weight	14.8 kg
Product colour *	Black	<b>Packaging content</b>	
Front bezel colour	Black	Stand included	✓
Feet colour	Silver	Cables included	AC, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C
<b>Ports &amp; interfaces</b>		Power adapter included	✓
Built-in USB hub *	✓	Remote control included	✗
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Stylus included	✗
USB upstream port type	USB Type-C	Quick start guide	✓
Number of USB Type-B upstream ports quantity	1	DisplayPort cable length	1.8 m
Number of USB Type-C upstream ports quantity	1	<b>Sustainability</b>	
USB Type-A downstream ports quantity	4	Sustainability compliance	✓
USB Type-C DisplayPort Alternate Mode	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold, TCO
USB Power Delivery (USB PD)	✓	Doesn't contain	PVC/BFR
USB Power Delivery up to	90 W	<b>Carbon footprint</b>	
HDMI *	✓	Total carbon footprint (kg of CO2e)	777
HDMI ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	198
HDMI version	2.1	Carbon emissions, manufacturing (kg of CO2e)	436
DisplayPorts quantity	1	Carbon emissions, logistics (kg of CO2e)	72
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	261
Headphone out *	✗	Carbon emissions, end-of-life (kg of CO2e)	8
Microphone in	✗	Total carbon emissions, w/o use phase (kg of CO2e)	516
PC Audio in	✗	PAIA version	1.3.2
Built-in KVM switch	✓	<b>Other features</b>	
HDCP	✓	Heavy metals free	Hg (mercury)
HDCP version	2.3	Compliance certificates	RoHS
AC (power) in	✓	Ethernet LAN (RJ-45) ports	1
<b>Network</b>			
Wi-Fi	✗		
<b>Ergonomics</b>			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		



0884116448082



884116448082



5397184657256



5715063228210

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.