

ASUS Dual -RTX4060TI-O16G NVIDIA GeForce RTX 4060 Ti 16 GB GDDR6

Brand : ASUS

Product family: Dual

Product code: 90YV0JH0-M0NA00

Product name : DUAL-RTX4060TI-O16G



- Powered by NVIDIA DLSS3, ultra-efficient Ada Lovelace arch, and full ray tracing
 - 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
 - 3rd Generation RT Cores: Up to 2x ray tracing performance
 - OC edition: 2625 MHz (OC mode)/ 2595 MHz (Default mode)
 - Axial-tech fan design features a smaller fan hub to increase airflow through the cooling array
 - A 2.5-slot design maximizes compatibility and cooling efficiency for superior performance in small chassis
 - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
 - 0dB technology lets you enjoy light gaming in relative silence
- Dual GeForce RTX 4060 Ti OC Edition 16GB GDDR6 gaming graphics card (Nvidia RTX4060 DLSS 3, PCIe 4.0, 1x HDMI 2.1a, 3x DisplayPort 1.4a, black, DUAL-RTX4060TI-O16G)

Processor		Performance	
CUDA *	✓	HDCP version	2.3
CUDA cores	4352	Dual Link DVI *	✗
Graphics processor family *	NVIDIA	NVIDIA G-SYNC	✓
Graphics processor *	GeForce RTX 4060 Ti	NVIDIA Ansel	✓
Processor boost clock speed	2595 MHz	AMD FreeSync	✗
Processor frequency (OC mode)	2625 MHz	Design	
Maximum resolution *	7680 x 4320 pixels	Cooling type *	Active
Parallel processing technology support *	Not supported	Cooling technology	ASUS Axial-tech
Maximum displays per videocard	4	Number of fans	2 fan(s)
Memory		Form factor	Full-Height/Half-Length (FH/HL)
Discrete graphics card memory *	16 GB	Number of slots	2.5
Graphics card memory type *	GDDR6	Product colour	Black
Memory bus *	128 bit	Power	
Memory bandwidth (max)	18 GB/s	Minimum system power supply *	650 W
Ports & interfaces		Supplementary power connectors	1x 8-pin
Interface type *	PCI Express 4.0	Weight & dimensions	
HDMI ports quantity *	1	Weight	699 g
HDMI version	2.1a	Length	227.2 mm
DisplayPorts quantity *	3	Depth	49.6 mm
DisplayPort version	1.4a	Height	123.2 mm
Performance		Packaging data	
TV tuner integrated *	✗	Package width	368 mm
DirectX version *	12 Ultimate	Package depth	220.5 mm
OpenGL version *	4.6	Package height	68 mm
HDCP	✓	Package weight	1.15 kg
		Package type	Box

Packaging content

Manual





4711387275290

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date