Canon PIXMA G6050 MegaTank Inkjet A4 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 3113C006

Product name : G6050 MegaTank

Inkjet, 4800 x 1200dpi, A4, WiFi, USB, LCD

Canon PIXMA G6050 MegaTank Inkjet A4 4800 x 1200 DPI Wi-Fi:

Meet demanding volume requirements without counting the cost. This multifunctional PIXMA refillable ink tank printer can print up to 18,000 pages from 3 black bottles or 7,700 pages from a colour set¹, for hassle-free ink top-ups to keep downtime to a minimum. Ideal for busy homes or small offices, its smart connections allow you to print, scan, copy and connect to the cloud from your smart device, via the Canon PRINT app and PIXMA Cloud Link and connect via Ethernet, for quick and easy printing there is compatibility with AirPrint (iOS), Mopria (Android) or Windows 10 Mobile.

Canon PIXMA G6050 MegaTank. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black

- · · · ·			
Printing		Ports & interfaces	
Duplex printing mode	Auto	Direct printing *	<i>✓</i>
Print technology *	Inkjet	USB port	✓
Printing *	Colour printing	USB connector	USB Type-B
Duplex printing * Maximum resolution *	✓ 4800 x 1200 DPI	Network	
Print speed (ISO/IEC 24734) mono	13 ipm	Wi-Fi *	✓
Print speed (ISO/IEC 24734) colour	6.8 ipm	Ethernet LAN *	1
Copying		Cabling technology	10/100Base-T(X)
Copying *	Colour copying	Ethernet LAN data rates	10,100 Mbit/s
Time to first copy (colour, normal)	20 s	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum number of copies	99 copies	Security algorithms	WEP, WPA-PSK, WPA2-PSK
Copier resize	25 - 400%	Mobile printing technologies	Apple AirPrint, Google Cloud Print, PIXMA Cloud Link
N-in-1 copy function		Design	
N-in-1 copy function (N=)	4	Product colour *	Black
ID-card copy function	v	Market positioning *	Home & office
Scanning		Built-in display *	✓
Scanning *	Colour scanning	Display	LCD
Optical scanning resolution *	1200 x 2400 DPI	Power	
Scanner type * Scan technology	Flatbed & ADF scanner CIS	Power consumption (standby)	1.7 W
Input colour depth	16 bit	Power consumption (off)	0.3 W
Output colour depth	8 bit	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Fax		AC input voltage	100 - 240 V
Faxing *	x	AC input frequency	50 - 60 Hz
Features		System requirements	
Number of print cartridges *	4	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Printing colours *	Black, Cyan, Magenta, Yellow		Mac OS X 10.11 El Capitan, Mac OS
Input & output capacity		Mac operating systems supported	X 10.12 Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.5 Leopard
Total input capacity *	100 sheets	Mobile operating systems supported	Android, Windows Mobile, iOS
Paper input type	Cassette, Paper tray	Operational conditions	
Paper handling		Operating relative humidity (H-H)	10 - 90%
Maximum ISO A-series paper size *	A4 Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper	Operating temperature (T-T)	5 - 35 °C
Paper tray media types *		Weight & dimensions	
		Width	403 mm



Paper handling		Weight & dimensions	
Multi-purpose tray media typesLetterISO A-series sizes (A0A9) *A4, A5ISO B-series sizes (B0B9)B5	Depth Height Weight	369 mm 195 mm 8.1 kg	
Non-ISO print media sizes	S Com-10, DL es 13x18,20x25 cm es (imperial) 4x6,5x7,8x10 ting media sizes 10x15, 13x18, 20x25, A4, Letter width 55 - 215.9 mm	Packaging data	
Envelopes sizes Photo paper sizes Photo paper sizes (imperial) Borderless printing media sizes Custom media width		Package width Package depth Package height Package weight	538 mm 495 mm 288.5 mm 10.6 kg
Custom media length		Packaging content	
Paper tray media weight 64 - 105 g/m ² Multi-Purpose Tray media weight 64 - 105 g/m ²	Cartridge(s) included Power cord included Quick installation guide	J J	
		Logistics data	

Other features Software CD

Harmonized System (HS) code

84433100

1



4549292141085

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.