

Canon PIXMA TS3350 Mustesuihku A4 4800 x 1200 DPI Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: PIXMA

Tuotekoodi: 3771C006

Tuotteen nimi : TS3350

- Kätevää laatua: FINE-mustekasetit XL-lisävarusteilla
- Kätevät liitännät: Canon PRINT -sovellus, AirPrint (iOS) ja Mopria (Android)
- Yhteys pilveen: Canon PRINT -sovelluksen PIXMA Cloud Link
- Vaivaton paperin lisääminen: Takasyöttö
- Tila yhdellä silmäyksellä: 1,5 tuuman LCD-näyttö
- Virransäästö: Automaattinen käynnistys ja sammutus
- Terävä ja selkeä: Terävä asiakirjateksti
- Reunuksettomat kuvat: Jopa 13 x 18 cm:n reunuks

TS3350, 4800x1200 DPI, A4, Wi-Fi, Print, Copy, Scan, Cloud, CIS, USB B, Wi-Fi, 435x316x145 mm
 Canon PIXMA TS3350. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x 1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Printing		Network	
Duplex printing mode	Manual	Wi-Fi *	✓
Print technology *	Inkjet	Ethernet LAN *	✗
Printing *	Colour printing	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex printing *	✗	Security algorithms	WEP, WPA-PSK, WPA2-PSK
Maximum resolution *	4800 x 1200 DPI	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Mopria Print Service, PIXMA Cloud Link
Print speed (ISO/IEC 24734) mono	7.7 ipm	Performance	
Print speed (ISO/IEC 24734) colour	4 ipm	Card reader integrated	✗
Borderless printing	✓	Sound pressure level (printing)	53.5 dB
Copying		Design	
Copying *	Colour copying	Product colour *	Black
Maximum number of copies	20 copies	Market positioning *	Home & office
Scanning		Built-in display *	✓
Scanning *	Colour scanning	Display	LCD
Optical scanning resolution *	600 x 1200 DPI	Display diagonal	3.81 cm (1.5")
Maximum scan area	216 x 297 mm	Power	
Scanner type *	Flatbed scanner	Power consumption (copying)	11 W
Scan technology	CIS	Power consumption (standby)	1.7 W
Input colour depth	16 bit	Power consumption (off)	0.3 W
Output colour depth	8 bit	AC input voltage	100 - 240 V
Input greyscale depth	16 bit	AC input frequency	50 - 60 Hz
Output greyscale depth	8 bit	System requirements	
Fax		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Faxing *	✗	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Features			
Digital sender	✗		
Number of print cartridges *	2		

Features		System requirements	
Replacement cartridges	PG-545, CL-546, PG-545XL, CL-546XL	Mobile operating systems supported Android, Windows 10 Mobile, iOS	
Input & output capacity		Operational conditions	
Total input capacity *	60 sheets	Operating relative humidity (H-H)	10 - 80%
Paper input type	Paper tray	Operating temperature (T-T)	15 - 30 °C
Maximum input capacity	60 sheets	Weight & dimensions	
Paper handling		Width	435 mm
Maximum ISO A-series paper size *	A4	Depth	316 mm
Paper tray media types *	Envelopes, Photo paper, Plain paper	Height	145 mm
Multi-purpose tray media types	Legal, Letter	Weight	3.9 kg
ISO A-series sizes (A0...A9) *	A4, A5	Packaging content	
ISO B-series sizes (B0...B9)	B5	Cartridge(s) included	✓
Photo paper sizes	10x15,13x18,13x13	Included cartridge capacity (black)	180 pages
Borderless printing media sizes	10x15, 13x18, 13x13	Included cartridge capacity (CMY)	180 pages
Custom media width	101.6 - 215.9 mm	Drivers included	✓
Custom media length	127 - 676 mm	Manual	✓
Ports & interfaces		Power cord included	✓
USB port	✓	Logistics data	
USB connector	USB Type-B	Harmonized System (HS) code	84433100
		Other features	
		Downloadable software	Easy-PhotoPrint Editor
		Software CD	✓



4549292143867



3523210101949

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.