



Canon i-SENSYS LBP664Cx Colour 1200 x 1200 DPI A4 Wi-Fi

Brand : Canon

Product family: i-SENSYS

Product code: 3103C001

Product name : LBP664Cx

LBP664Cx, A4, 27 ppm, 1200x1200 dpi, USB 2.0, Wi-Fi, LAN, 220-240V 50/60Hz, 476x469x379 mm


[Canon i-SENSYS LBP664Cx Colour 1200 x 1200 DPI A4 Wi-Fi:](#)

Optimised for small offices, the LBP664Cx is an ultra-fast, highly accurate, feature-packed colour laser printer with innovative functions like Universal Login Manager to help boost security and cost management.

Canon i-SENSYS LBP664Cx. Print technology: Laser, Colour. Maximum duty cycle: 50000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Duplex printing. Display: LCD. Network ready, Wi-Fi. Product colour: Black, White

Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100,1000 Mbit/s
Colour *	✓	Wi-Fi Direct	✓
Print technology *	Laser	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex printing *	✓	Near Field Communication (NFC)	✓
Maximum resolution *	1200 x 1200 DPI	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Warm-up time	13 s	Performance	
Time to first page (black, normal)	7.7 s	Internal memory *	1000 MB
Time to first page (colour, normal)	8.6 s	Maximum internal memory	1000 MB
Print margins (top, bottom, right, left)	5 mm	Built-in processor	✓
Secure printing	✓	Processor frequency	800 MHz
Features		Processor cores	2
Maximum duty cycle *	50000 pages per month	Sound pressure level (printing)	63 dB
Recommended duty cycle	750 - 4000 pages per month	Sound pressure level (duplex printing)	64 dB
Printing colours *	Black, Cyan, Magenta, Yellow	Sound power level (standby)	42 dB
Page description languages *	PCL 5c, PCL 6, PostScript, UFR II	Design	
Number of printer fonts	229	Market positioning *	Home & office
Input & output capacity		Product colour *	Black, White
Total input capacity *	250 sheets	Built-in display *	✓
Total output capacity *	150 sheets	Display	LCD
Paper input type	Cassette	Colour display	✓
Multi-Purpose tray	✓	Touchscreen	✓
Multi-Purpose tray input capacity	50 sheets	Control type	Touch
Maximum input capacity	550 sheets	Power	
Paper handling		Power consumption (printing) *	470 W
Maximum ISO A-series paper size *	A4	Power consumption (max)	1380 W
Maximum print size	216 x 356 mm	Power consumption (standby)	17 W
Paper tray media types *	Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper	Energy Star Typical Electricity Consumption (TEC)	1 kWh/week
ISO A-series sizes (A0...A9) *	A4, A5	AC input voltage	220 - 240 V
ISO B-series sizes (B0...B9)	B5	AC input frequency	50 - 60 Hz
Non-ISO print media sizes	Executive, Legal, Letter, Statement	System requirements	
Envelopes sizes	C5, Com-10, DL, Monarch	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Custom media width	100 - 216 mm	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks
Custom media length	148 - 355.6 mm		
Paper tray media weight	60 - 163 g/m ²		
Multi-Purpose Tray media weight	60 - 176 g/m ²		
Ports & interfaces			
Standard interfaces	Ethernet, USB 2.0, Wireless LAN		

Ports & interfaces		System requirements	
USB 2.0 ports quantity	1	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Network		Operational conditions	
Network ready	✓	Operating temperature (T-T)	10 - 30 °C
Wi-Fi *	✓	Operating relative humidity (H-H)	20 - 80%
Ethernet LAN *	✓	Weight & dimensions	
Cabling technology	10/100/1000Base-T(X)	Width	476 mm
		Depth	469 mm
		Height	379 mm
		Weight	21.2 kg



4549292121995

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date