Canon

Canon i-SENSYS LBP664Cx Väri 1200 x 1200 DPI A4 Wi-Fi

**Tuotemerkki :** Canon   **Tuoteperhe:** i-SENSYS   **Tuotekoodi:** 3103C001

Tuotteen nimi : LBP664Cx

Canon i-SENSYS LBP664Cx. Tulostustekniikka: Laser, Väri. Suurin toimintajakso: 50000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO A-luokan paperikoko: A4. Kaksipuolinen tulostus. Näyttö: LCD. Verkkovalmius, Wi-Fi. Tuotteen väri: musta, Valkoinen

Printing

Duplex printing mode	Auto
Colour *	✔
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Warm-up time	13 s
Time to first page (black, normal)	7.7 s
Time to first page (colour, normal)	8.6 s
Print margins (top, bottom, right, left)	5 mm
Secure printing	✔

Features

Maximum duty cycle *	50000 pages per month
Recommended duty cycle	750 - 4000 pages per month
Printing colours *	Black, Cyan, Magenta, Yellow
Page description languages *	PCL 5c, PCL 6, PostScript, UFRII
Number of printer fonts	229

Input & output capacity

Total input capacity *	250 sheets
Total output capacity *	150 sheets
Paper input type	Cassette
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	50 sheets
Maximum input capacity	550 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	216 x 356 mm
Paper tray media types *	Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper
ISO A-series sizes (A0...A9) *	A4, A5
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Legal, Letter, Statement
Envelopes sizes	C5, Com-10, DL, Monarch
Custom media width	100 - 216 mm
Custom media length	148 - 355.6 mm
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 176 g/m²

Ports & interfaces

Standard interfaces	Ethernet, USB 2.0, Wireless LAN
USB 2.0 ports quantity	1

Network

Network ready	✔
Wi-Fi *	✔

Network

Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Near Field Communication (NFC)	✔
Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service

Performance

Internal memory *	1000 MB
Maximum internal memory	1000 MB
Built-in processor	✔
Processor frequency	800 MHz
Processor cores	2
Sound pressure level (printing)	63 dB
Sound pressure level (duplex printing)	64 dB
Sound power level (standby)	42 dB

Design

Market positioning *	Home & office
Product colour *	Black, White
Built-in display *	✔
Display	LCD
Colour display	✔
Touchscreen	✔
Control type	Touch

Power

Power consumption (printing) *	470 W
Power consumption (max)	1380 W
Power consumption (standby)	17 W
Energy Star Typical Electricity Consumption (TEC)	1 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016

Operational conditions

Operating temperature (T-T)	10 - 30 °C

Network	
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)

Operational conditions	
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions	
Width	476 mm
Depth	469 mm
Height	379 mm
Weight	21.2 kg

4549292121995