



Canon PIXMA TS9550 Inkjet A3 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

Product code: 2988C006

Product name : TS9550



4800 x 1200 dpi, A3, black, 9.7 kg, 49.5 dB, 100 - 240 V, 50/60 Hz

Canon PIXMA TS9550. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: Black

Printing		Network	
Print technology *	Inkjet	Wi-Fi *	✓
Printing *	Colour printing	Ethernet LAN *	✓
Duplex printing *	✓	Cabling technology	10/100Base-T(X)
Maximum resolution *	4800 x 1200 DPI	Ethernet LAN data rates	10,100 Mbit/s
Print speed (ISO/IEC 24734) mono	15 ipm	Wi-Fi standards	802.11a, 802.11b, 802.11g
Print speed (ISO/IEC 24734) colour	10 ipm	Mobile printing technologies	Apple AirPrint, Google Cloud Print, PIXMA Cloud Link
DVD/CD printing	✓		
Copying		Performance	
Copying *	Colour copying	Card reader integrated	✓
Time to first copy (colour, normal)	19 s	Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC
Copier resize	25 - 400%		
Scanning		Design	
Scanning *	Colour scanning	Product colour *	Black
Optical scanning resolution *	1200 x 2400 DPI	Market positioning *	Home & office
Maximum scan area	216 x 297 mm	Built-in display *	✓
Scanner type *	Flatbed & ADF scanner	Display	LCD
Scan technology	CIS	Display diagonal	10.8 cm (4.25")
Input colour depth	16 bit	Touchscreen	✓
Output colour depth	8 bit	Control type	Touch
Fax		Power	
Faxing *	✗	Power consumption (copying)	14 W
Input & output capacity		Power consumption (standby)	2 W
Maximum input capacity	100 sheets	Power consumption (off)	0.3 W
Paper handling		AC input voltage	100 - 240 V
Maximum ISO A-series paper size *	A3	AC input frequency	50 - 60 Hz
Paper tray media types *	Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi-glossy paper	Operational conditions	
ISO A-series sizes (A0...A9) *	A3, A4, A5	Operating relative humidity (H-H)	10 - 80%
ISO B-series sizes (B0...B9)	B5	Operating temperature (T-T)	15 - 30 °C
Ports & interfaces		Weight & dimensions	
Standard interfaces	Ethernet, USB, USB 2.0, Wireless LAN	Width	468 mm
Direct printing *	✓	Depth	366 mm
		Height	193 mm
		Weight	9.7 kg
Logistics data			
		Harmonized System (HS) code	84433100

Ports & interfaces		Other features	
USB port	✓	PictBridge	✓
USB 2.0 ports quantity	1		



4549292117608

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date