Canon

Canon PIXMA TR4550 Mustesuihku A4 4800 x 1200 DPI Wi-Fi

Tuotemerkki : Canon   **Tuoteperhe:** PIXMA   **Tuotekoodi:** 2984C009

Tuotteen nimi : TR4550

Canon PIXMA TR4550. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x
1200 DPI. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x
1200 DPI. Faksaus: Värifaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri:
musta

Printing

Print technology *	Inkjet
Printing *	Colour printing
Duplex printing *	✔
Maximum resolution *	4800 x 1200 DPI
Print speed (ISO/IEC 24734) mono	8.8 ipm
Print speed (ISO/IEC 24734) colour	4.4 ipm
Borderless printing	✔

Copying

Copying *	Colour copying
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function (N=)	2, 4

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	600 x 1200 DPI
Scanner type *	Flatbed & ADF scanner
Input colour depth	16 bit
Output colour depth	8 bit
Greyscale levels	16

Fax

Faxing *	Colour faxing
Fax resolution (black)	300 x 300 DPI
Modem speed	33.6 Kbit/s
Fax memory	50 pages

Features

Number of print cartridges *	2

Input & output capacity

Total number of input trays *	1
Total input capacity *	100 sheets
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	100 sheets
Paper input type	Cassette, Paper tray
Auto document feeder (ADF)	✔

Paper handling

Paper tray media weight	64 - 105 g/m²

Ports & interfaces

Standard interfaces	USB, Wireless LAN
Direct printing *	✔
USB port	✔
USB connector	USB Type-B

Network

Wi-Fi *	✔
Ethernet LAN *	✘
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Mopria Print Service, PIXMA Cloud Link

Design

Product colour *	Black
Market positioning *	Home & office
Built-in display *	✔
Display	LCD
Display resolution	1024 x 768 pixels

Power

Power consumption (copying)	8 W
Power consumption (standby)	1.6 W
Power consumption (off)	0.2 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Mobile operating systems supported	Android, Windows 10 Mobile
Other operating systems supported	iOS

Input & output capacity

Auto document feeder (ADF) input capacity	20 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Glossy paper, Photo paper, Plain paper, Semi-glossy paper
ISO A-series sizes (A0...A9) *	A4, A5
ISO B-series sizes (B0...B9)	B5
Envelopes sizes	Com-10, DL
Photo paper sizes (imperial)	10x15,13x18,20x25
Borderless printing media sizes	10x15, 13x18, 20x25, A4, Letter

Operational conditions

Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	15 - 35 °C

Weight & dimensions

Width	435 mm
Depth	295 mm
Height	189 mm
Weight	5.9 kg

Packaging content

Drivers included	✔
Manual	✔
Bundled software	MP Driver inkl. Scanning Utility Easy-WebPrint EX

Logistics data

Harmonized System (HS) code	84433100

4549292118780