

Canon i-SENSYS MF426dw Laser A4 1200 x 1200 DPI 38 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 2222C007

Tuotteen nimi : MF426dw

Canon i-SENSYS MF426dw. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Yksittäiskopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetyks. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: musta, Valkoinen



Printing		Input & output capacity	
Duplex printing mode	Auto	Multi-Purpose tray input capacity	100 sheets
Print technology *	Laser	Paper input type	Cassette, Paper tray
Printing *	Mono printing	Auto document feeder (ADF)	✓
Duplex printing *	✓	Auto document feeder (ADF) input capacity	50 sheets
Maximum resolution *	1200 x 1200 DPI	Paper handling	
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Maximum ISO A-series paper size *	A4
Duplex print speed (black, normal quality, A4/US Letter)	30.3 ppm	Paper tray media types *	Envelopes, Heavy paper, Labels, Plain paper, Recycled paper, Thin paper
Warm-up time	14 s	Multi-purpose tray media types	Envelopes, Executive, Legal, Letter, Plain paper
Time to first page (black, normal)	5.5 s	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print margins (top, bottom, right, left)	5 mm	ISO B-series sizes (B0...B9)	B5
Secure printing	✓	Non-ISO print media sizes	16K
Copying		Envelopes sizes	10, C5, DL, Monarch
Duplex copying *	✓	Custom media width	76.2 - 215.9 mm
Copying *	Mono copying	Custom media length	127 - 355.6 mm
Maximum copy resolution *	600 x 600 DPI	Paper tray media weight	52 - 120 g/m ²
Copy speed (black, normal quality, A4)	38 cpm	Auto Document Feeder (ADF) media weight	50 - 105 g/m ²
Duplex copy speed (black, US Letter)	30.3 ppm	Ports & interfaces	
Time to first copy (black, normal)	6.6 s	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Maximum number of copies	999 copies	Direct printing *	✓
Copier resize	25 - 400%	USB port	✓
N-in-1 copy function	✓	USB 2.0 ports quantity	1
N-in-1 copy function (N=)	2, 4	Network	
ID-card copy function	✓	Wi-Fi *	✓
Edge erase function	✓	Ethernet LAN *	✓
Scanning		Cabling technology	10/100/1000Base-T(X)
Duplex scanning *	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Scanning *	Colour scanning	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Optical scanning resolution *	600 x 600 DPI	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK
Optical scanning resolution (black)	300 x 600 ppi		
Optical scanning resolution (colour)	300 x 600 ppi		

Scanning		Network	
Maximum scan resolution	9600 x 9600 DPI	Supported network protocols (IPv4)	DHCP, ARP+PING, Auto IP, WINS, Bonjour(mDNS), HTTP, HTTPS, POP, LPD, RAW, Port9100, IPP, IPPS, WSD
Scanner type *	Flatbed & ADF scanner	Supported network protocols (IPv6)	DHCPv6, Bonjour(mDNS), HTTP, HTTPS, POP, LPD, RAW, Port9100, IPP, IPPS, WSD
Scan to	Cloud, E-mail, FTP, PC, USB	Management protocols	SNMPv1, SNMPv3
Scan speed (colour)	13 ppm	Email protocols	Pop, SMTP
Scan speed (black)	38 ppm	IP address filtering	✓
Duplex scan speed (colour)	26 ppm	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Duplex scan speed (black)	70 ppm		
Image formats supported	JPEG, TIFF		
Document formats supported	PDF		
Input colour depth	24 bit		
Output colour depth	24 bit		
Greyscale levels	256		
Scan drivers	ICA, TWAIN, WIA		
Fax		Performance	
Faxing *	Mono faxing	Card reader integrated	✗
Fax resolution (black)	400 x 400 DPI	Internal memory *	1024 MB
Fax transmission speed	3 sec/page	Built-in processor	✓
Modem speed	33.6 Kbit/s	Processor frequency	800 MHz
Fax memory	512 pages		
Auto-redialing	✓		
Fax speed dialing (max numbers)	281		
Fax forwarding	✓		
Error Correction Mode (ECM)	✓		
Fax dual access	✓		
Multiple-destination sending	✓		
Features		Design	
Recommended duty cycle	750 - 4000 pages per month	Product colour *	Black, White
Maximum duty cycle *	80000 pages per month	Market positioning *	Business
Number of print cartridges *	1	Built-in display *	✓
Printing colours *	Black	Display	LCD
Page description languages	PCL 5e, PCL 6, PostScript, UFR II	Display diagonal	12.7 cm (5")
Printer fonts	PCL, PostScript	Touchscreen	✓
Number of printer fonts	181	Control type	Touch
Number of PCL fonts	45	Colour display	✓
Number of PostScript fonts	136		
Input & output capacity		Power	
Total number of input trays *	1	Power consumption (standby)	10 W
Total input capacity *	250 sheets	Power consumption (sleep)	0.9 W
Total output capacity *	150 sheets	Energy Star Typical Electricity Consumption (TEC)	1.2 kWh/week
Multi-Purpose tray	✓	AC input voltage	220 - 240 V
		AC input frequency	50 - 60 Hz
		System requirements	
		Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
		Linux operating systems supported	✓
		Server operating systems supported	Windows Server 2008, Windows Server 2012, Windows Server 2016
		Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 30 °C
		Weight & dimensions	
		Width	453 mm
		Depth	464 mm
		Height	392 mm
		Weight	16.9 kg
		Other features	
		Fonts included	✓



4549292090406

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date