## Canon

## Canon imageFORMULA DR-C230 Sheet-fed scanner $600 \times 600$ DPI A4 Black

Brand : Canon Product family: Product code: 2646C003

imageFORMULA

Product name: DR-C230

600 dpi, RGB LED, CMOS CIS, 30 ppm / 60 ipm, 60 -sheets, ISIS /TWAIN, USB 2.0, AC 100-240V,  $291 \times 253 \times 231 \ mm$ 

Canon imageFORMULA DR-C230. Maximum scan size: 216 x 3000 mm, Optical scanning resolution: 600 x 600 DPI, Output colour depth: 24 bit. Scanner type: Sheet-fed scanner, Product colour: Black. Sensor type: CMOS CIS, Daily duty cycle (max): 3500 pages, Light source: RGB LED. Standard input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Plastic Card, Media thickness (min): 0.06 mm





| Scanning  |  | Ports & interfaces                                      |                                      |
|---|--|---|--------------------------------------|
| Maximum scan size *   | 216 x 3000 mm  | USB version   | 2.0                                  |
| Optical scanning resolution *   | 600 x 600 DPI  | Standard interfaces                                     | USB 2.0                              |
| Colour scanning   | 1  | Power   |                                      |
| Duplex scanning *  Output colour depth  Output greyscale depth  Greyscale levels  ADF scan speed (b/w, A4)  Duplex ADF scan speed (colour, A4)  Output depth 24 bit  State  24 bit  256  ADF scan speed (b/w, A4)  30 ppm  Duplex ADF scan speed (colour, A4)  60 ipm | Power supply type * Power consumption (typical) Power consumption (standby) Power consumption (off) AC input frequency Input voltage | AC<br>19 W<br>1.4 W<br>0.1 W<br>50 - 60 Hz<br>100-240 V |                                      |
|   | •  | Weight & dimensions                                     |                                      |
| Design Scanner type * Product colour *  | Sheet-fed scanner<br>Black   | Width Depth Height Weight                               | 291 mm<br>253 mm<br>231 mm<br>2.8 kg |
| Built-in display *  | ×  | Packaging content                                       | 3                                    |
| Performance   |  | Cables included   | AC, USB                              |
| Sensor type *   | CMOS CIS<br>RGB LED<br>3500 pages<br>ISIS, TWAIN   | AC adapter included                                     | <b>√</b>                             |
| Light source  |  | ·   |                                      |
|   |  | Sustainability Sustainability certificates              | ENERGY STAR                          |
| Input capacity  |  |   |                                      |
| Standard input capacity   | 60 sheets  |   |                                      |
| Paper handling  |  |   |                                      |
| Scanning media types supported Multi feed detection Maximum ISO A-series paper size * Media thickness (min) Maximum scan width Maximum scan length  | Business Card, Plastic Card  ✓  A4  0.06 mm  21.6 cm  3 m  |   |                                      |

| Ports & interfaces | System requirements   |   |
|--------------------|---|---|
| USB port *         | Windows operating systems supported                           | Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 |
|                    | Mac operating systems supported                               | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra   |
|                    | Server operating systems supported                            | Windows Server 2008 R2, Windows<br>Server 2012 R2, Windows Server<br>2016   |
|                    | Operational conditions  |   |
|                    | Operating temperature (T-T) Operating relative humidity (H-H) | 10 - 32.5 °C<br>20 - 80%  |
|                    | Other features  |   |
|                    | Scan media weight<br>Compliance certificates                  | 27 - 209 g/m²<br>RoHS   |
|                    | Logistics data  |   |
|                    | Harmonized System (HS) code                                   | 84716070  |



4528472107882

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.