Canon PIXMA TS9551C Inkjet A3 4800 x 1200 DPI Wi-Fi

Brand : Canon

Product family: PIXMA

```
Product code: 2988C026
```

Product name : TS9551C

- A3 All-in-One printer

- Wireless and Ethernet connectivity
- Multimedia printing
- 5 individual inks
- Auto 2-sided printing
- 2-way paper feeding
- Canon PRINT app
- 10.8cm (4.3 inch) touchscreen

PIXMA TS9551C, A3, 10/15 ipm, 4800x1200 DPI, ADF, CIS, 4.3" LCD TFT, USB B, RJ-45, Wi-Fi, SD, 468x366x193 mm

Canon PIXMA TS9551C. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A3. Wi-Fi. Direct printing. Product colour: White





Printing		Ports & interfaces	
Duplex printing mode Print technology * Printing * Duplex printing *	Auto Inkjet Colour printing 🖌	Direct printing * USB port USB connector USB 2.0 ports quantity	✓ ✓ USB Type-B 1
Maximum resolution *	4800 x 1200 DPI	Network	
Print speed (ISO/IEC 24734) mono Print speed (ISO/IEC 24734) colour	15 ipm 10 ipm	Wi-Fi *	1
Copying		Ethernet LAN *	✓
Copying * Copy speed (black, normal quality, A4) Maximum number of copies Copier resize	Colour copying 6.5 cpm 99 copies 25 - 400%	Cabling technology Ethernet LAN data rates Wi-Fi standards Security algorithms Mobile printing technologies	10/100Base-T(X) 10,100 Mbit/s 802.11a, 802.11b, 802.11g WEP, WPA-PSK, WPA2-PSK Apple AirPrint, Mopria Print Service, PIXMA Cloud Link
N-in-1 copy function	1	Performance	
N-in-1 copy function (N=)	2, 4	Card reader integrated	1
ID-card copy function		Compatible memory cards	SD, SDHC, SDXC
Edge erase function	1	Sound pressure level (printing)	49.5 dB
Scanning		Design	
Scanning * Optical scanning resolution * Maximum scan area Scanner type * Scan technology Input colour depth Output colour depth Greyscale levels Fax	Colour scanning 1200 x 2400 DPI 216 x 297 mm Flatbed & ADF scanner CIS 16 bit 8 bit 16	Product colour * Market positioning * Built-in display * Display Display diagonal Touchscreen Control type Colour display	White Home & office ✓ TFT 10.9 cm (4.3") ✓ Touch ✓
Faxing *	×	Power	
Features Digital sender Number of print cartridges * Printing colours *	× 5 Black, Cyan, Magenta, Pigment black, Yellow	Power consumption (copying) Power consumption (standby) Power consumption (off) AC input voltage AC input frequency	14 W 1.2 W 0.3 W 100 - 240 V 50 - 60 Hz

Input & output capacity		System requirements	
Total number of input trays * Paper input type	1 Cassette, Paper tray	Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Auto document feeder (ADF) Auto document feeder (ADF) input	✓	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
capacity	20 sheets	Mobile operating systems supported	, 5
Maximum number of input trays	1	Minimum RAM	3100 MB
Maximum input capacity	200 sheets	Operational conditions	
Paper handling		Operating relative humidity (H-H)	10 - 80%
Maximum ISO A-series paper size $*$	A3	Operating temperature (T-T)	15 - 30 °C
Paper tray media types *	 Art paper, Envelopes, Glossy paper, High resolution paper, Matte paper, Photo paper, Plain paper, Semi- glossy paper 	Weight & dimensions	
Paper tray media types *		Width	468 mm
ISO A-series sizes (A0A9) *	A3, A4, A5	Depth	366 mm
ISO B-series sizes (B0B9)	B4, B5	Height	193 mm
Non-ISO print media sizes	Legal, Letter	Weight	9.7 kg
Envelopes sizes	10, DL	Packaging content	
Beede deservation and the state	8.9x8.9, 17.5x25, 30x30, 10x15,	Cartridge(s) included	v
Borderless printing media sizes	13x18, 13x13, 20x25, 25x30, A3, A4, Letter	Manual	1
Custom media width	55 - 215.9 mm	Bundled software	MP Driver including Scanning Utility
Custom media length	89 - 676 mm	Logistics data	
Paper tray media weight	64 - 105 g/m²	Harmonized System (HS) code	84433100
Ports & interfaces		Other features	
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Downloadable software Software CD	Easy-WebPrint EX



4549292117950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.