

Lindy 43378 kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 2 (3.1 Gen 2) Type-C Harmaa

Tuotemerkki : Lindy

Tuotekoodi: 43378

Tuotteen nimi : 43378

Lindy 43378. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Ethernet LAN -datanopeudet: 10,100 Mbit/s. Tuotteen väri: Harmaa, Yhteensopivat muistikortit: MicroSD (TransFlash), SD, Tiedonsiirtonopeus: 5 Gbit/s. Virtalähteen malli: DC, Virrankulutus: 25 W. Tuotteen leveys: 122 mm, Tuotteen syvyys: 122 mm, Tuotteen korkeus: 55 mm



Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery (USB PD)	✓
USB Power Delivery revision	3.0
HDMI ports quantity *	2
DisplayPorts quantity	1
Microphone in *	✓
Headphone outputs *	1
DC-in jack	✓
HDCP	✓
HDCP version	2.2
USB Type-C DisplayPort Alternate Mode	✓

Network

Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100 Mbit/s
Wake-on-LAN ready	✓

Performance

Card reader integrated *	✓
Compatible memory cards	MicroSD (TransFlash), SD
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD

Power

Power consumption (typical)	25 W
-----------------------------	------

Software

Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓
Mobile operating systems supported	✓

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	5 - 90%

Sustainability

Sustainability compliance	✓
---------------------------	---


Weight & dimensions

Width	122 mm
Depth	122 mm
Height	55 mm
Weight	500 g

Packaging data

Quantity per pack	1 pc(s)
Package width	450 mm
Package depth	340 mm
Package height	345 mm
Package weight	1.73 kg

Performance		Packaging content	
Maximum digital resolution	3840 x 2160 pixels	Cables included	AC, USB Type-C
Number of displays supported	3	AC adapter included	✓
Product colour *	Grey	Manual	✓
Plug and Play	✓	Technical details	
Housing material	Aluminium	Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS
Power			
Power source type	DC		



4002888433785

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-FEB-2025. Prints or copies of Information are only valid on the printed Publication date