

HP 36A 2-pack Black Original LaserJet Toner Cartridges

Brand: HP Product code: CB436AD

Product name : 36A 2-pack Black Original LaserJet Toner

Cartridges

36A 2-pack Black Original LaserJet Toner Cartridges

HP 36A 2-pack Black Original LaserJet Toner Cartridges:

Ideal for high-volume printing customers in home, micro or small offices.

As you print more, you can save more. With HP LaserJet Toner Cartridge Dual Packs, you can reduce your company's printing costs without sacrificing the consistent, professional results and reliable, trouble-free printing of Original HP.

HP 36A 2-pack Black Original LaserJet Toner Cartridges. Black toner page yield: 4000 pages, Printing colours: Black, Quantity per pack: 2 pc(s)





Features Brand-specific features Compatibility* HP 36 toner cartridges work with: HP GTIN (EAN/UPC) 884962022368 Quantity per pack* 2 pc(s) Other features Cartridge capacity Standard Yield Print technology Laser printing Black toner page yield * Original Technical details 2 toner cartridg Printing colours * Black Box contents 2 toner cartridg Brand compatibility * HP Logistics data 2 toner cartridg OEM code CB436AD Pallet dimensions (W x D x H) 1200 x 800 x 11 Total amount of recycled materials used for making Japan Maximum number of stacking cartons 36 pc(s) HP segment Japan Maximum number of stacking cartons 36 pc(s) HP segment Hoser (eU) 10 pc(s) Operational conditions VEROLUTY (EU) 10 pc(s) Operating temperature (T-T) 10 - 32.5 °C Harmonized System (HS) code 84439990 Operating relative humidity (H-H) 10 - 80% Pallet gross weight 115.6 cm Storage rela	
Quantity per pack *2 pc(s)Other featuresCartridge capacityStandard YieldPrint technologyLaser printingBlack toner page yield *4000 pagesTechnical detailsType *OriginalTechnical detailsPrinting colours *BlackBox contents2 toner cartridgBrand compatibility *HPLogistics dataOEM codeCB436ADPallet dimensions (W x D x H)1200 x 800 x 11Total amount of recycled materials used for making27%Pallet size (EU)1200 x 800 x 11Country of originJapanMaximum number of stacking cartons36 pc(s)HP segmentBusinessMaster (outer) cases per pallet layer (EU)10 pc(s)Operational conditions(EU)Harmonized System (HS) code84439990Operating temperature (T-T)10 - 32.5 °CHarmonized System (HS) code84439990Operating relative humidity (H-H)10 - 80%Pallet gross width115.6 cmStorage temperature (T-T)-20 - 40 °CPallet gross length99 cmStorage relative humidity (H-H)10 - 90%Pallet gross weight153.3 gWeight & dimensionsPallet gross weight (EU)153.3 gWeight & dimensionsLayers per pallet8 pc(s)Weight & dimensionsLayers per pallet10 pc(s)Weight125 mmMaster (outer) cases per pallet (EU)10 pc(s)Weight1.58 kgMaster (outer) cases per pallet117 pc(s)Poducts per pallet17 pc(s)Poducts per pallet </td <td></td>	
Cartridge capacity Black toner page yield * 4000 pages Type * Original Printing colours * Black Black Black Black Black Black Box contents CB436AD Total amount of recycled materials used for making Country of origin HP Segment Department Depar	
Black toner page yield * 4000 pages Type * Original Technical details Printing colours * Black Box contents 2 toner cartridg Brand compatibility * HP CEM code CB436AD Total amount of recycled materials used for making Country of origin Japan Maximum number of stacking cartons HP segment Business Master (outer) cases per pallet layer Operational conditions Operating temperature (T-T) 10 - 32.5 °C Harmonized System (HS) code 84439990 Operating relative humidity (H-H) 10 - 80% Pallet gross width 115.6 cm Storage temperature (T-T) -20 - 40 °C Pallet gross height 126.9 cm Weight & dimensions Width 375 mm Layers per pallet layer Pallet weight (EU) 153.3 g Width 375 mm Layers per pallet Master (outer) cases per pallet layer 10 pc(s) Weight 125 mm Master (outer) cases per pallet (EU) 100 pc(s) Weight 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 100 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 117 pc(s) Packaging data	
Type*OriginalTechnical detailsPrinting colours*BlackBox contents2 toner cartridgBrand compatibility*HPLogistics dataOEM codeCB436ADPallet dimensions (W x D x H)1200 x 800 x 17Total amount of recycled materials used for making27%Pallet size (EU)1200 x 800 x 17Country of originJapanMaximum number of stacking cartons36 pc(s)HP segmentBusinessMaster (outer) cases per pallet layer (EU)10 pc(s)Operational conditions(EU)4 Harmonized System (HS) code84439990Operating temperature (T-T)10 - 80%Pallet gross width115.6 cmStorage temperature (T-T)-20 - 40 °CPallet gross length99 cmStorage relative humidity (H-H)10 - 90%Pallet gross height126.9 cmWeight & dimensions153.3 gWidth375 mmLayers per pallet8 pc(s)Depth226 mmMaster (outer) cases per pallet layer10 pc(s)Height125 mmMaster (outer) cases per pallet (EU)10 pc(s)Weight1.58 kgMaster (outer) cases per pallet (EU)177 pc(s)Packaging dataProducts per pallet117 pc(s)	
Printing colours * Black Box contents 2 toner cartridg Brand compatibility * HP OEM code CB436AD Pallet dimensions (W x D x H) 1200 x 800 x 11 Total amount of recycled materials used for making Country of origin Japan Maximum number of stacking cartons Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) 10 - 32.5 °C Harmonized System (HS) code 84439990 Operating relative humidity (H-H) 10 - 80% Pallet gross width 115.6 cm Storage temperature (T-T) -20 - 40 °C Pallet gross height 126.9 cm Storage relative humidity (H-H) 10 - 90% Pallet gross weight 153.3 g Weight & dimensions Width 375 mm Layers per pallet (EU) 153.3 g Width 226 mm Master (outer) cases per pallet layer (EU) 10 pc(s) Master (outer) cases per pallet layer (D pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Master (outer) cases per pallet (EU) 17 pc(s) Packaging data	
Brand compatibility * HP CB436AD OEM code CB436AD Total amount of recycled materials used for making Country of origin Japan Pallet size (EU) 1200 x 800 x 11 200 x 800	ies: Recycling guide
DEM code Total amount of recycled materials used for making Country of origin HP segment Deprational conditions Operating relative humidity (H-H) Storage relative humidity (H-H) Weight & dimensions Width Depth Height Depth Height Description Combined Country of origin Japan Maximum number of stacking cartons Master (outer) cases per pallet layer (EU) Rational conditions (EU) 10 pc(s) (EU) Pallet gross width 115.6 cm Pallet gross length Pallet gross height 126.9 cm Pallet gross weight Pallet gross weight Pallet weight (EU) Depth Master (outer) cases per pallet layer Rational Conditions Layers per pallet Rational Conditions Waster (outer) cases per pallet layer Pallet gross width Pallet gross weight Pallet gross weight Pallet gross weight Pallet weight (EU) Pallet weight (EU)	es, recycling guide
Total amount of recycled materials used for making Country of origin HP segment Departional conditions Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) Depth Weight & dimensions Width 375 mm Layers per pallet Layers per pallet layer Depth Height 10 pc(s) Pallet size (EU) Maximum number of stacking cartons Master (outer) cases per pallet layer (EU) Harmonized System (HS) code 84439990 Pallet gross width 115.6 cm Pallet gross length Pallet gross length Pallet gross height 126.9 cm Pallet weight (EU) 153.3 g Pallet weight (EU) Depth Asser (outer) cases per pallet layer 10 pc(s) Master (outer) cases per pallet (EU) Depth Pallet gross weight Pallet weight (EU) 153.3 g Master (outer) cases per pallet (EU) Products per pallet	
Country of origin HP segment Department	
Country of origin HP segment Business Master (outer) cases per pallet layer (EU) Operational conditions Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width Depth	149 MM
Master (outer) cases per pallet layer (EU)10 pc(s)Operational conditionsOperating temperature (T-T)10 - 32.5 °CHarmonized System (HS) code84439990Operating relative humidity (H-H)10 - 80%Pallet gross width115.6 cmStorage temperature (T-T)-20 - 40 °CPallet gross length99 cmStorage relative humidity (H-H)10 - 90%Pallet gross height126.9 cmPallet gross weight153.3 gPallet weight (EU)153.3 gWidth375 mmLayers per pallet8 pc(s)Depth226 mmMaster (outer) cases per pallet layer10 pc(s)Height125 mmMaster (outer) cases per pallet (EU)10 pc(s)Weight1.58 kgMaster (outer) cases per pallet117 pc(s)Packaging dataProducts per pallet80 pc(s)	
Operating temperature (T-T) 10 - 32.5 °C Harmonized System (HS) code 84439990 Operating relative humidity (H-H) 10 - 80% Pallet gross width 115.6 cm Storage temperature (T-T) -20 - 40 °C Pallet gross height 99 cm Storage relative humidity (H-H) 10 - 90% Pallet gross height 126.9 cm Pallet gross weight 153.3 g Pallet weight (EU) 153.3 g Pallet	
Operating temperature (1-1) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H) Weight & dimensions Width 375 mm Depth Depth 126 mm Height 126 mm Master (outer) cases per pallet (EU) Pallet gross width 115.6 cm Pallet gross length Pallet gross height 126.9 cm Pallet weight (EU) 153.3 g Pallet weight (EU) 153.3 g Master (outer) cases per pallet layer 10 pc(s) Weight Weight Pallet gross width 126.9 cm Pallet gross weight 153.3 g Pallet weight (EU) 153.3 g Master (outer) cases per pallet layer 10 pc(s) Master (outer) cases per pallet (EU) Products per pallet Pro	
Storage temperature (T-T) -20 - 40 °C Storage relative humidity (H-H) 10 - 90% Weight & dimensions Width 375 mm Layers per pallet Depth 226 mm Height 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Pallet gross length 99 cm Pallet gross height 126.9 cm Pallet weight (EU) 153.3 g Pallet weight (EU) 153.3 g Master (outer) cases per pallet layer 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Packaging data Products per pallet 80 pc(s)	
Storage relative humidity (H-H) Weight & dimensions Width Depth Pallet gross height Pallet gross weight Pallet gross weight Pallet weight (EU) 153.3 g Pallet weight (EU) 153.3 g Pallet weight (EU) 153.3 g Master (outer) cases per pallet layer 10 pc(s) Weight Pakaging data Pallet gross height 156.9 cm Pallet gross height 157.3 g Pallet gross height 158.3 g Pallet gross height 159.3 g Pallet gross height 153.3 g Pallet gross height 159.3 g Pallet gross height 159.3 g Pallet gross height 159.3 g Pallet gross height 153.3 g Pallet gross height Pallet gross height 153.3 g Pallet gross height Pallet	
Weight & dimensions Width 375 mm Layers per pallet (EU) 153.3 g Depth 226 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Master (outer) cases per pallet (EU) 10 pc(s) Packaging data Pallet gross weight 153.3 g Pallet weight (EU) 153.3 g Master (outer) cases per pallet layer 10 pc(s) Master (outer) cases per pallet (EU) 10 pc(s) Packaging data Products per pallet 80 pc(s)	
Weight & dimensions Width 375 mm Layers per pallet 8 pc(s) Depth 226 mm Master (outer) cases per pallet layer 10 pc(s) Height 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Master (outer) cases per pallet 117 pc(s) Packaging data	
Width 375 mm Layers per pallet 8 pc(s) Depth 226 mm Master (outer) cases per pallet layer 10 pc(s) Height 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Master (outer) cases per pallet 117 pc(s) Packaging data Products per pallet 80 pc(s)	
Depth 226 mm Master (outer) cases per pallet layer 10 pc(s) Height 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Master (outer) cases per pallet 117 pc(s) Packaging data Products per pallet 80 pc(s)	
Height 125 mm Master (outer) cases per pallet (EU) 10 pc(s) Weight 1.58 kg Master (outer) cases per pallet (EU) 117 pc(s) Packaging data Products per pallet (EU) 80 pc(s)	
Weight 1.58 kg Master (outer) cases per pallet (EU) 10 pc(s) Packaging data Products per pallet 80 pc(s)	
Packaging data Products per pallet 80 pc(s)	
Products nor nellet (FII) 20 ne(s)	
Package width 375 mm Products per pallet (EU) 80 pc(s)	
rackage water 575 mm	
Package depth 226 mm	
Package height 125 mm	
Package weight 1.66 kg	



























Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.