



HP 920XL, alkuperäinen riittoisa keltainen mustekasetti

Tuotemerkki : HP

Tuotekoodi: CD974AE

Tuotteen nimi : 920XL, alkuperäinen riittoisa keltainen mustekasetti

920XL, alkuperäinen riittoisa keltainen mustekasetti

[HP 920XL, alkuperäinen riittoisa keltainen mustekasetti:](#)

Suunniteltu kotitoimistokäyttöön, kun halutaan tuottaa yritystasoisia väritulostuslaatuja edullisesti.

Keltaiset HP 920XL -mustekasetit ja alkuperäiset HP-musteet tulostavat ammattilaatuisia väriasiakirjoja lasereita edullisemmin. Alkuperäisten HP-musteiden koostumus tuottaa nopeasti kuivuvia asiakirjoja etenkin ColorLok-logolla varustettuja papereita käytettäessä.

HP 920XL, alkuperäinen riittoisa keltainen mustekasetti. Värimusteen tyyppi: Väriperustainen muste, Mustepatruunan tyyppi: Korkea (XL) värintuotto, Värimusteen sivun tuotto: 700 sivua, Tulostuskasettien väri(t): Keltainen, Lukumäärä per pakkaus: 1 kpl



Features		Brand-specific features	
Colour ink type	Dye-based ink	HP GTIN (EAN/UPC)	884420649458, 884420649465, 884420649472, 884962546130, 884420649410, 884420649427
Print technology	Inkjet printing		
BCP bubble graphic colour	Yellow		
Compatibility *	HP 920 ink cartridges work with: HP OfficeJet 7500A	Other features	
Quantity per pack *	1 pc(s)	Compatible ink types, supplies	Dye-based
Colour ink page yield *	700 pages	Ink drop	5.5 pl HDW, 1.3 pl LDW
Type *	Original	Print head nozzles	336 HDW, 336 LDW
Cartridge capacity	High (XL) Yield	Weight (imperial)	0.0318 kg (0.0700 lbs)
Ink type	Pigment-based ink	Retail only	✗
Printing colours *	Yellow	Size (imperial)	10.7 cm (4.21")
Country of origin	Ireland, Singapore	Empty weight	10 g
Quantity per box	1 pc(s)	Print cartridge volume (metric)	6 ml
Colour	✓	Technical details	
Printing material shelf life	1.5 year(s)	Box contents	1 Cartridge
Operational conditions		General Product Safety Regulation (GPSR) URL	Product Safety HP 920XL / CD974A Contains Benzisothiazolinone. May produce an allergic reaction.
Operating relative humidity (H-H)	5 - 80%	Logistics data	
Storage temperature (T-T)	-40 - 70 °C	Case or master carton weight	3.13 kg
Operating temperature (T-T)	5 - 40 °C	Case or master carton quantity	60 pc(s)
Storage relative humidity (H-H)	5 - 80%	Case or master carton dimensions (W x D x H)	21.77 x 8.86 x 4.57 mm
Operating temperature (T-T)	41 - 104 °F	Pallet dimensions (W x D x H)	1200 x 800 x 1072 mm
Weight & dimensions		Products per pallet	3360 pc(s)
Width	107 mm	Master (outer) cases per pallet	56 pc(s)
Depth	24 mm	Layers per pallet	8 pc(s)
Height	115 mm	Master (outer) cases per pallet layer	7 pc(s)
Weight	30 g	Pallet gross weight	200.28 g
Packaging data		Stacking number for pallet	2 pc(s)
Package dimensions (WxDxH)	107 x 24 x 115 mm		
Media sheets per package	20 sheets		

Packaging data		Logistics data	
Package dimensions (W x D x H)	106.9 x 23.9 x 115.1 mm (4.21 x 0.94 x 4.53")	Pallet dimensions (W x D x H) (imperial)	1199.9 x 800.1 x 1071.9 mm (47.2 x 31.5 x 42.2")
Package weight (imperial)	0.0454 kg (0.1 lbs)	Pallet weight (imperial)	200.3 kg (441.5 lbs)
Package width	107 mm	Pallet size (EU)	1200 x 800 x 1072 mm
Package depth	24 mm	Products per larger master (outer) case	60 pc(s)
Package height	115 mm	Larger master (outer) case gross weight	3.13 g
Package weight	50 g	Harmonized System (HS) code	84439990
Brand-specific features			
HP GTIN (EAN/UPC) with options	(231) 884420649458; (241) 884420649465; (251) 884420649472; (301) 884962546130; (BGX) 884420649410; (BGY) 884420649427		



5051964483724



0884420649441




884420649441



4053617028116




0884420649458




884420649458



4053162284067



0889899377086



889899377086




0884420649427



884420649427




0884420649410



884420649410




0884420649434




884420649434



0884962546130



884962546130



0884420649472




884420649472



0884420649465



884420649465



5055410410371



4250783522749



0193808176142




193808176142



0193808176135




193808176135



0193808176128




193808176128



0193808176111



193808176111



0193808176104



193808176104



8849625461306



4053162284050



5054629567036



3610170030775



5055344663560

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.