



HP 920XL, alkuperäinen riittoisa syaani mustekasetti

Tuotemerkki : HP

Tuotekoodi: CD972AE

Tuotteen nimi : 920XL, alkuperäinen riittoisa syaani mustekasetti

920XL, alkuperäinen riittoisa syaani mustekasetti

[HP 920XL, alkuperäinen riittoisa syaani mustekasetti:](#)

Suunniteltu kotitoimistokäyttöön, kun halutaan tuottaa yritystasoista väritulostuslaatua edullisesti.

Syaanit HP 920XL -mustekasetit ja alkuperäiset HP-musteet tulostavat ammattilaatuisia väriasiakirjoja lasereita edullisemmin. Alkuperäisten HP-musteiden koostumus tuottaa nopeasti kuivuvia asiakirjoja etenkin ColorLok-logolla varustettuja papereita käytettäessä.

HP 920XL, alkuperäinen riittoisa syaani mustekasetti. Värimusteen tyyppi: Väripohjainen muste, Mustepatruunan tyyppi: Korkea (XL) värintuotto, Värimusteen sivun tuotto: 700 sivua, Tulostuskasettien väri(t): Syaani, Lukumäärä per pakkaus: 1 kpl



Features		Brand-specific features	
Colour ink type	Dye-based ink		(231) 884420649311; (241) 884420649328; (251) 884420649335; (301) 884962546116; (BGX) 884420649274; (BGY) 884420649281
Print technology	Inkjet printing	HP GTIN (EAN/UPC) with options	884420649311, 884420649328, 884420649335, 884962546116, 884420649274, 884420649281
BCP bubble graphic colour	Cyan		
Compatibility *	HP 920 ink cartridges work with: HP OfficeJet 7500A	HP GTIN (EAN/UPC)	884420649311, 884420649328, 884420649335, 884962546116, 884420649274, 884420649281
Quantity per pack *	1 pc(s)		
Colour ink page yield *	700 pages		
Type *	Original		
Cartridge capacity	High (XL) Yield	Other features	
Printing colours *	Cyan	Compatible ink types, supplies	Dye-based
Country of origin	Ireland, Singapore	Ink drop	5.5 pl HDW, 1.3 pl LDW
Quantity per box	1 pc(s)	Print head nozzles	336 HDW, 336 LDW
Colour	✓	Weight (imperial)	0.0318 kg (0.0700 lbs)
Printing material shelf life	1.5 year(s)	Retail only	✗
Operational conditions		Size (imperial)	10.7 cm (4.21")
Operating relative humidity (H-H)	5 - 80%	Empty weight	10 g
Storage temperature (T-T)	-40 - 70 °C	Print cartridge volume (metric)	6 ml
Operating temperature (T-T)	5 - 40 °C	Technical details	
Storage relative humidity (H-H)	5 - 80%	Box contents	1 Cartridge
Operating temperature (T-T)	41 - 104 °F	Logistics data	
Weight & dimensions		Case or master carton weight	3.11 kg
Width	107 mm	Case or master carton quantity	60 pc(s)
Depth	24 mm	Case or master carton dimensions (W x D x H)	21.77 x 8.86 x 4.57 mm
Height	115 mm	Pallet dimensions (W x D x H)	1200 x 800 x 1072 mm
Weight	30 g	Products per pallet	3360 pc(s)
Packaging data		Master (outer) cases per pallet	56 pc(s)
Package dimensions (WxDxH)	107 x 24 x 115 mm	Layers per pallet	8 pc(s)
Package dimensions (W x D x H)	106.9 x 23.9 x 115.1 mm (4.21 x 0.94 x 4.53")	Master (outer) cases per pallet layer	7 pc(s)
		Pallet gross weight	199.27 g

Packaging data		Logistics data	
Package weight (imperial)	0.0454 kg (0.1 lbs)	Pallet dimensions (W x D x H) (imperial)	1199.9 x 800.1 x 1071.9 mm (47.2 x 31.5 x 42.2")
Package width	107 mm	Pallet weight (imperial)	199.3 kg (439.3 lbs)
Package depth	24 mm	Pallet size (EU)	1200 x 800 x 1072 mm
Package height	115 mm	Products per larger master (outer) case	60 pc(s)
Package weight	50 g	Larger master (outer) case gross weight	3.11 g
		Harmonized System (HS) code	84439990




5704174007036



0884420649304




884420649304



8844206492748




5051964713326



5055410410357



0889899377062



889899377062



0884962546116



884962546116



0884420649298



884420649298



0884420649311



884420649311



0884420649328



884420649328



0884420649274



884420649274



0884420649281



884420649281



0884420649335



884420649335



5055302138765



5054484242345




5055388782838



0193808176036



193808176036



0193808176043



193808176043



0193808176029



193808176029



0193808176005




193808176005



0193808176012



193808176012



8844206492816



5054629192276



4053162284012



3610170483137

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.