

## QNAP TS-432PXU-RP NAS Teline ( 1U ) Annapurna Labs Alpine AL-324 2 GB DDR4 0 TB musta

**Tuotemerkki :** QNAP

**Tuotekoodi:** TS-432PXU-RP-2G



**Tuotteen nimi :** TS-432PXU-RP

QNAP TS-432PXU-RP. Malli: NAS. Alustatyyppi: Teline ( 1U ). Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: Annapurna Labs, Prosessorimalli: Alpine AL-324, Prosessorin taajuus: 1,7 GHz. Sisäinen muisti: 2 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB



Storage		Design	
Storage drive capacity *	0 GB	Product colour	Black
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Number of fans	2 fan(s)
Storage drive sizes supported	2.5,3.5"	Fan diameter	4 cm
RAID support *	✓	LED indicators	HDD, LAN, Status
RAID levels	0, 1, 5, 6, 10, JBOD	Performance	
Online RAID migration	✓	Type *	NAS
Online RAID expansion	✓	Device class *	Small & Medium Business
RAID rebuild	✓	Backup function *	✓
Hot-swap drive bays	✓	Backup features	Cloud, iSCSI LUN
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Buzzer	✓
Storage drives installed *	✗	Multilingual support	✓
Total installed storage capacity *	0 TB	Snapshot	✓
Number of storage drives supported *	4	Web-based management	✓
Installed storage drive type *	✗	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Supported storage drive types *	HDD & SSD	Access Control List (ACL)	✓
Bad block scan	✓	Reset button	✓
Processor		On/off switch	✓
Processor manufacturer *	Annapurna Labs	Built-in FTP server	✓
Processor family *	Annapurna Labs	Browser supported	Mozilla Firefox, Microsoft Internet Explorer 10+, Apple Safari 7+, Google Chrome
Processor model *	Alpine AL-324	System log	✓
Processor frequency *	1.7 GHz	Hot spare	✓
Processor cores	4	S.M.A.R.T. support	✓
Memory		Share folder	CIFS/SMB
Internal memory *	2 GB	Universal Plug and Play (UPnP)	✓
Internal memory type	DDR4	USB copy function	✓
Maximum RAM supported	16 GB	Software	
Memory slots	1	Operating system version	5.0.0
Memory form factor	UDIMM	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Flash memory	512 MB	Linux operating systems supported	✓
Network			
Ethernet LAN *	✓		
Ethernet LAN data rates	100,1000,2500,10000 Mbit/s		

Network		Software	
Ethernet LAN data rate supported (max)	10000 Mbit/s		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
DHCP client	✓	Mac operating systems supported	
DHCP server	✓		
Jumbo frames support	✓		Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
iSCSI support	✓	Server operating systems supported	
Wake-on-LAN ready	✓		
Supported network protocols	PPTP, L2TP/IPSec, OpenVPN, QBEt	Power	
Link aggregation	✓	Power supply location	Built-in
Load balancing system	✓	Power supply unit (PSU) capacity	250 W
WLAN adapter supported	✓	Number of power supply units	2
Ports & interfaces		Power consumption (typical)	53.343 W
USB port *	✓	AC input voltage	100 - 240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Fan voltage	12 V
Fiber ports quantity	2	Weight & dimensions	
Fiber optic connector	SFP+	Width *	439 mm
Ethernet LAN (RJ-45) ports *	2	Depth *	499 mm
		Height *	44 mm
		Weight	8.12 kg
Design		Packaging content	
Chassis type *	Rack (1U)	Cables included	AC, LAN (RJ-45)
Cooling type *	Active	Number of screws	28
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C
		Logistics data	
		Harmonized System (HS) code	84714100



4713213518168

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date