

Samsung OH75A Digital signage flat panel 190.5 cm (75") 3500 cd/m² 4K Ultra HD Black 24/7



Brand : Samsung

Product family: OHA

Product code:
LH75OHAEBGBXEN

Product name : OH75A

Samsung OH75A. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display resolution: 3840 x 2160 pixels, Display brightness: 3500 cd/m², HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black

Display		Performance	
Panel type	ADS	Operating hours (hours/days)	24/7
Display diagonal *	190.5 cm (75")	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	2.2
Display brightness *	3500 cd/m ²	Power	
HD type *	4K Ultra HD	Power consumption (typical) *	1200 W
Response time	14 ms	Power consumption (sleep)	0.5 W
Contrast ratio (typical)	1200:1	AC input voltage	100-240 V
Dynamic contrast ratio marketing name	Mega Contrast	AC input frequency	50-60 Hz
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical	178°	Internal memory	8 GB
Display number of colours	1.07 billion colours	Weight & dimensions	
Pixel pitch	429.6 x 429.6 mm	Display width	1774.8 mm
Active display area (W x H)	927.94 x 1649.66 mm	Display depth	130 mm
Horizontal scan range	30 - 135 kHz	Display height	1053.4 mm
Vertical scan range	30 - 75 Hz	Display weight	134 kg
Haze rate	2.5%	Width	1774.8 mm
Pixel frequency (max)	77 MHz	Depth	130 mm
Glass thickness	5 mm	Height	1053.4 mm
Glass film	SR Film	Weight	134 kg
Colour gamut	72%	Packaging data	
Ports & interfaces		Package width	1932 mm
HDMI ports quantity *	2	Package depth	367 mm
HDMI version	2.0	Package height	1251 mm
DVI port *	✗	Package weight	150 kg
DisplayPorts quantity *	1	Packaging content	
DisplayPorts in	1	Stand included	✗
DisplayPort version	1.2	Remote control included	✓
USB port *	✓	Cables included	AC
USB ports quantity	1	Operational conditions	
Ethernet LAN *	✓	Operating temperature (T-T)	-30 - 50 °C
Wi-Fi *	✗	Operating relative humidity (H-H)	10 - 80%
PC Audio in	✗	Logistics data	
RS-232 interface	✓	Harmonized System (HS) code	85285210
RS-232C	✓	Features	
Infrared data port	✗	Wall mountable	✗
PC Audio out	✓	Other features	
Power output	No	Aspect ratio	16:9
3G Dongle	✗	Audio input	✗
Design			
Product design *	Digital signage flat panel		

Design		Other features	
Product colour *	Black	Audio output	✓
VESA mounting *	✗	Bluetooth	✗
Bezel width (bottom)	5.98 cm	Video out	No
Bezel colour	Black	Response time	14 s
		Housing material	Aluminium, Metal



8806092748798

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-DEC-2024. Prints or copies of Information are only valid on the printed Publication date