

ASUS ROG STRIX GS-AX5400 langaton reititin Gigabitti Ethernet Kaksitaajuus (2,4 GHz/5 GHz) musta

Tuotemerkki : ASUS

Tuotekoodi: 90IG06L0-MO3R10


Tuotteen nimi : ROG STRIX GS-AX5400

ASUS ROG STRIX GS-AX5400. Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz), Wi-Fi-standardi: Wi-Fi 6 (802.11ax), WLAN-tiedonsiirtonopeus (maks.): 5378 Mbit/s. Ethernet LAN -käyttöliittymän tyyppi: Gigabitti Ethernet, VPN-palvelin: IPSec, OVPN, PPTP. Tietoturva-algoritmit: SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-PSK, WPS, MAC-osoitetaulukko: 64 entries. Tuotetyyppi: Pöytäreititin, Tuotteen väri: musta, LED-merkkivalot: Teho, WAN, WLAN. Sisältää johdot: LAN (RJ-45)



WAN connection		Security	
Ethernet WAN *	✓	Guest access	✓
DSL WAN *	✗	Parental control	✓
SIM card slot *	✗	MAC address filtering	✓
3G/4G USB modem compatibility *	✓	MAC address table	64 entries
Wireless LAN features		DMZ support	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Protocols	
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	DHCP server	✓
WLAN data transfer rate (max) *	5378 Mbit/s	Design	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Product colour	Black
Modulation	1024-QAM	LED indicators	Power, WAN, WLAN
Network		On/off switch	✓
Ethernet LAN *	✓	Product type *	Tabletop router
Ethernet LAN interface type *	Gigabit Ethernet	Packaging content	
Port forwarding	✓	Cables included	LAN (RJ-45)
Dynamic DNS (DDNS)	✓	AC adapter included	✓
Built-in FTP server	✓	Warranty card	✓
VPN server	IPSec, OVPN, PPTP	Quick start guide	✓
Mobile network		Antenna	
3G	✗	Antenna design *	External
4G	✗	Antennas quantity	4
5G	✗	Features	
Ports & interfaces		Built-in processor	✓
Ethernet LAN (RJ-45) ports *	4	Processor frequency	1500 MHz
USB port *	✓	Processor cores	3
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Internal memory	512 MB
Management features		Flash memory	256 MB
Web-based management	✓	Works with Amazon Alexa	✓
Quality of Service (QoS) support	✓	Power	
		Power source type *	AC
		AC input voltage	110 - 240 V

Management features		Power	
Wake-on-LAN ready	✓	AC input frequency	50 - 60 Hz
Reset button	✓	Output voltage	19 V
WPS push button	✓	Output current	1.75 A
Security		Weight & dimensions	
Security algorithms	SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-PSK, WPS	Weight	701.3 g
Firewall	✓	Packaging data	
		Number of products included	1 pc(s)
		Logistics data	
		Harmonized System (HS) code	85176990



4711081173939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date