



BenQ TH585P Vakioprojektori 3500 ANSI lumenia DLP 1080p (1920x1080) Valkoinen

Tuotemerkki : BenQ

Tuotekoodi: 9H.JLS77.14E


Tuotteen nimi : TH585P

BenQ TH585P. Projektorin kirkkaus: 3500 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 4000 h, Valonlähteen käyttöikä (säästötila): 10000 h. Zoomaussuhde: 1.1:1, Heittosuhde: 1.5 - 1.65, Siirtymä: 100%. Tuetut grafiikan erottelutarkkuudet: 1920 x 1200 (WUXGA), Videon väritilat: Bright cinema, Elokuvateatteri, Digital cinema, Peli, Olohuone, Urheilu. Sarjaliitännän tyyppi: RS-232, HDMI/liitäntätyyppi: Täysikokoinen



Projector		Ports & interfaces	
Supported aspect ratios	16:9	Mobile High-Definition Link (MHL)	✓
Projector brightness *	3500 ANSI lumens	AC (power) in	✓
Projection technology *	DLP	Features	
Projector native resolution *	1080p (1920x1080)	Noise level (economic mode)	29 dB
Contrast ratio (typical) *	10000:1	HDCP	✓
Native aspect ratio *	16:9	Noise level *	35 dB
Number of colours	1.07 billion colours	Multimedia	
Horizontal scan range	15 - 102 kHz	Built-in speaker(s) *	✓
Vertical scan range	23 - 120000 Hz	RMS rated power	10 W
Keystone correction, vertical	-40 - 40°	Number of built-in speakers	1
Light source		Design	
Light source type *	Lamp	Market positioning *	Gaming
Service life of light source *	4000 h	Product type *	Standard throw projector
Service life of light source (economic mode)	10000 h	Product colour *	White
Lamps quantity	1 lamp(s)	Placement	Desktop
Lens system		Display	
Zoom capability	✓	Built-in display *	✗
Zoom ratio	1.1:1	Power	
Throw ratio	1.5 - 1.65	Power source *	AC
Offset	100%	Power consumption (typical) *	297 W
Video		Power consumption (standby) *	0.5 W
Full HD *	✓	AC input voltage	100 - 240 V
Supported graphics resolutions	1920 x 1200 (WUXGA)	AC input frequency	50 - 60 Hz
Video colour modes	Bright cinema, Cinema, Digital cinema, Game, Living room, Sports	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C

Ports & interfaces		Weight & dimensions	
HDMI connector type	Full-size	Width	312 mm
HDMI version	1.4	Depth	225 mm
USB 2.0 ports quantity	1	Height	110 mm
Serial interface type *	RS-232	Weight *	2.79 kg
PC Audio in	✓	Packaging content	
PC Audio out	✓	Remote control included *	✓
HDMI ports quantity *	2	Batteries included	✓
		Cables included	AC
		Manual	✓
		Other features	
		Security updates end date	31/12/2025



4718755089138

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date