

## ASUS ProArt -RTX4070TIS-16G NVIDIA GeForce RTX 4070 Ti SUPER 16 GB GDDR6X

**Brand :** ASUS

**Product family:** ProArt

**Product code:** 90YV0KJ1-M0NB00

**Product name :** PROART-RTX4070TIS-16G



- NVIDIA Studio: RTX and AI-accelerated creator apps, exclusive AI software, and Studio Drivers for unmatched creativity and performance
  - NVIDIA Ada Lovelace Streaming Multiprocessors: Up to 2x performance and power efficiency
  - 4th Generation Tensor Cores: Up to 4x performance with DLSS 3 vs. brute-force rendering
  - 3rd Generation RT Cores: Up to 2x ray tracing performance
  - Axial-tech fans scaled up for 21% more airflow
  - 2.5-slot design: allows for greater build compatibility while maintaining premium cooling
  - Dual Ball Fan Bearings last up to twice as long as conventional designs
  - Auto-Extreme precision automated manufacturing for higher reliability
  - GPU Tweak III profile Connect enables creators to seamlessly optimize system performance and cooling for every app
- 16 GB, GDDR6X, 256-bit, PCI Express 4.0, 2640 MHz OC mode clock, HDMI, 3x DisplayPort, 1x 16-pin, 2.5 slot



Processor		Performance	
CUDA *	✓	Virtual Reality (VR) ready	✓
CUDA cores	8448	HDCP	✓
Graphics processor family *	NVIDIA	HDCP version	2.3
Graphics processor *	GeForce RTX 4070 Ti SUPER	Dual Link DVI *	✗
Processor boost clock speed	2610 MHz	NVIDIA G-SYNC	✓
Processor frequency (OC mode)	2640 MHz	Design	
Maximum resolution *	7680 x 4320 pixels	Cooling type *	Active
Parallel processing technology support *	Not supported	Cooling technology	ASUS Axial-tech
Maximum displays per videocard	4	Number of fans	3 fan(s)
Memory		Form factor	Full-Height/Full-Length (FH/FL)
Discrete graphics card memory *	16 GB	Bracket height	Full-Height (FH)
Graphics card memory type *	GDDR6X	Number of slots	2.5
Memory bus *	256 bit	Product colour	Black
Data transfer rate	21 Gbit/s	Power	
Ports & interfaces		Minimum system power supply *	750 W
Interface type *	PCI Express 4.0	Supplementary power connectors	1x 16-pin
HDMI ports quantity *	1	System requirements	
HDMI version	2.1a	Windows operating systems supported	Windows 11
DisplayPorts quantity *	3	Weight & dimensions	
DisplayPort version	1.4a	Length	300 mm
Performance		Depth	50 mm
TV tuner integrated *	✗	Height	120 mm
DirectX version *	12 Ultimate	Packaging data	
OpenGL version *	4.6	Package type	Box

**Packaging content**

Manual





4711387471852

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date