

DELL PowerEdge T350 palvelin 480 GB Tower Intel Xeon E E-2336 2,9 GHz 16 GB DDR4-SDRAM 700 W

Tuotemerkki : DELL

Tuoteperhe: PowerEdge

Tuotekoodi: 0GH6C



DELL PowerEdge T350. Suoritinperhe: Intel Xeon E, Prosessorin taajuus: 2,9 GHz, Prosessorimalli: E-2336. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4-SDRAM, Muistin sijoittelu (paikat x koko): 1 x 16 GB. Kokonaistallennuskapasiteetti: 480 GB. Ethernet LAN, Kaapelitekniikka: 10/100/1000Base-T(X). Virtalähde: 700 W. Alustatyyppi: Tower





Processor		Performance	
Processor manufacturer *	Intel	Remote administration	iDRAC9, Enterprise 15G
Processor family *	Intel Xeon E	Trusted Platform Module (TPM)	 Image: A set of the set of the
Processor model * Processor frequency *	E-2336 2.9 GHz	Trusted Platform Module (TPM) version	2.0
Processor boost frequency 4	4.8 GHz 6	Software	
Processor cache	12 MB	Operating system installed *	×
Number of processors installed1Thermal Design Power (TDP)65 WProcessor threads12	65 W	Compatible operating systems *	Canonical Ubuntu Server LTS Citrix Hypervisor Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server
Memory		Power	
Internal memory * Internal memory type *	16 GB DDR4-SDRAM	Redundant power supply (RPS) support *	×
Buffered memory type	Unregistered (unbuffered)	Power supply *	700 W
Memory slots	4x DIMM	Number of main power supplies	1
ECC	 Image: A set of the set of the	Power supply input voltage	200 - 240 V
Memory layout (slots x size)	1 x 16 GB	Power cable length	2 m
Memory data transfer rate	3200 MT/s	Power cable connector 1	C13 coupler
Maximum internal memory *	128 GB	Power cable current	10 A
Storage		Operational conditions	
Total storage capacity *480 GBNumber of SSDs installed1SSD capacity480 GBSSD interfaceSATA IIISSD size2.5"Supported SSD sizes3.5"Number of SSDs supported8RAID support *×	1 480 GB SATA III 2.5"	Operating temperature (T-T) Storage temperature (T-T) Storage relative humidity (H-H) Operating altitude Non-operating altitude	10 - 35 °C -40 - 65 °C 5 - 95% 0 - 3048 m 0 - 12000 m
		Carbon footprint	
	-	Total carbon footprint (kg of CO2e)	2310

Storage		Carbon footprint	
Supported RAID controllers Hot-Plug support	PERC H755	Total carbon emissions, standard deviation (kg of CO2e)	999
Optical drive type *	×	Carbon emissions, manufacturing (kg of CO2e)	453
Drive writes per day (DWPD) Storage drive adapter included	1	Carbon emissions, logistics (kg of CO2e)	198
Storage drive adapter type	2.5" - 3.5"	Carbon emissions, energy usage (kg of CO2e)	1630
Network		Carbon emissions, end-of-life (kg of	31
LAN controller	Broadcom 5720	CO2e) Total carbon emissions. w/o use	
Ethernet LAN		phase (kg of CO2e)	682
Cabling technology	10/100/1000Base-T(X)	PAIA version	1.3.2, 2022
Ethernet interface type	Gigabit Ethernet	Weight & dimensions	
Ports & interfaces		Width	175 mm
Ethernet LAN (RJ-45) ports *	2	Depth	581.1 mm
USB 2.0 ports quantity	5	Height	369.5 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Weight	25.3 kg
VGA (D-Sub) ports quantity	1	Packaging content	
Parallel ports quantity	1	Packaging content	European Power Cord 220V
Power cables quantity	1	Other features	
Design		Data transfer rate	6 Gbit/s
Chassis type *	Tower	Bytes per sector	512
Product colour	Black		
Bezel	Image: A start of the start		



5397184760406

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.