



## MSI PRO B650M-P emolevy AMD B650 Pistoke AM5 mikro ATX

**Tuotemerkki :** MSI

**Tuotekoodi:** PRO B650M-P

**Tuotteen nimi :** PRO B650M-P




MSI PRO B650M-P. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, ECC-yhteensopivuus: Non-ECC. Tuetut tallennusasemaliitännät: M.2, SATA, RAID-tasot: 0, 1, 10. Ethernet-liitännän tyyppi: 2.5 Gigabit Ethernet, LAN-kontrolleri: Realtek RTL8125-BG. Komponentti (tuotteele): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: AMD




Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Ethernet LAN (RJ-45) ports *	1
Processor socket *	Socket AM5	VGA (D-Sub) ports quantity *	1
Compatible processor series *	AMD Ryzen 7000 Series	HDMI ports quantity *	1
Supported processor sockets	Socket AM5	HDMI version	2.1
Memory		DisplayPorts quantity	1
Supported memory types *	DDR5-SDRAM	DisplayPort version	1.4
Number of memory slots *	4	Headphone outputs	1
ECC compatibility	Non-ECC	Line-in	✓
Supported memory clock speeds	6000, 5800, 5600, 5400, 5200, 5000, 4800 MHz	Microphone in	✓
Maximum internal memory *	192 GB	Network	
Storage controllers		Ethernet LAN	✓
Supported storage drive interfaces *	M.2, SATA	Ethernet interface type	2.5 Gigabit Ethernet
RAID support	✓	LAN controller	Realtek RTL8125-BG
RAID levels	0, 1, 10	Wi-Fi *	✗
Graphics		Features	
On-board graphics card	✗	Motherboard chipset *	AMD B650
Internal I/O		Audio chip	Realtek ALC897
USB 2.0 connectors *	4	Audio output channels *	7.1 channels
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Product colour	Black
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	PC health monitoring	Fan
Number of SATA III connectors *	4	Component for *	PC
Front panel audio connector	✓	Motherboard form factor *	micro ATX
Front panel connector	✓	Motherboard chipset family *	AMD
ATX Power connector (24-pin)	✓	Windows operating systems supported	Windows 11 x64
CPU fan connector	✓	Expansion slots	
Chassis intrusion connector	✓	PCI Express x16 (Gen 3.x) slots	1
Rear panel I/O ports		Number of M.2 (M) slots	2
USB 2.0 ports quantity *	4	BIOS	
		BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		ACPI version	6.4


Rear panel I/O ports		BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	System Management BIOS (SMBIOS) version	3.5
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Weight & dimensions	
		Width	243.8 mm
		Depth	243.8 mm



4711377100953



0824142324837



824142324837

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.